

DAFTAR PUSTAKA

- [1] A. Retnowati, Rugayah, J. S. Rahajoe, and D. Arifiani, *Status Keanekaragaman Hayati Indonesia : Kekayaan Jenis Tumbuhan Indonesia*. 2019.
- [2] T. Temesgen, “Application of Mushroom as Food and Medicine,” *Adv. Biotechnol. Microbiol.*, vol. 11, no. 4, 2018, doi: 10.19080/aibm.2018.11.555817.
- [3] Y. Suryani, *Mikologi*. 2020.
- [4] A. Zubair and A. R. Muslikh, “Identifikasi Jamur Menggunakan Metode K-Nearest Neighbor Dengan Ekstraksi Ciri Morfologi,” *J. Kegiat. Pertan. Desa Palapan*, no. September, pp. 965–972, 2018.
- [5] A. Beniah Nugroho, “Pendeteksian Edibilitas Jamur Konsumsi Berdasarkan Citra Digital dengan Convolutional Neural Network,” Universitas Multimedia Nusantara, 2022. [Online]. Available: <https://kc.umn.ac.id/id/eprint/22499>
- [6] X. Liu, K. H. Ghazali, F. Han, and I. I. Mohamed, “Review of CNN in aerial image processing,” *Imaging Sci. J.*, vol. 71, no. 1, pp. 1–13, 2023, doi: 10.1080/13682199.2023.2174651.
- [7] L. Alzubaidi *et al.*, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021. doi: 10.1186/s40537-021-00444-8.
- [8] A. J. Panahatan, “Identifikasi Jamur yang Layak dan Tidak Layak Konsumsi melalui Convolutional Neural Network (CNN) dengan Arsitektur EfficientNet,” pp. 4–9, 2023.
- [9] N. Adisaputra Sinaga and R. Rosnelly, “Analisis Penggunaan Model EfficientNetV2 Dalam Memprediksi Jenis Kelamin Pada Wajah Pengguna Masker,” *J. Tek. Inform. dan Sist. Inf.*, vol. 9, no. 3, 2022, [Online]. Available: <http://jurnal.mdp.ac.id>
- [10] B. Z. Demiray, M. Sit, and I. Demir, “DEM Super-Resolution with EfficientNetV2,” 2021, [Online]. Available: <http://arxiv.org/abs/2109.09661>
- [11] R. Hayami, Soni, and I. Gunawan, “Klasifikasi Jamur Menggunakan Algoritma Naïve Bayes,” *J. CoSciTech (Computer Sci. Inf. Technol.*, vol. 3,

- no. 1, pp. 28–33, 2022, doi: 10.37859/coscitech.v3i1.3685.
- [12] U. S. Rahmadhani and N. L. Marpaung, “Klasifikasi Jamur Berdasarkan Genus Dengan Menggunakan Metode CNN,” *J. Inform. J. Pengemb. IT*, vol. 8, no. 2, pp. 169–173, 2023, doi: 10.30591/jpit.v8i2.5229.
- [13] E. I. Haksoro and A. Setiawan, “Pengenalan Jamur Yang Dapat Dikonsumsi Menggunakan Metode Transfer Learning Pada Convolutional Neural Network,” *J. ELTIKOM*, vol. 5, no. 2, pp. 81–91, 2021, doi: 10.31961/eltikom.v5i2.428.
- [14] M. P. Thakur, “Advances in mushroom production: key to food, nutritional and employment security: A review,” *Indian Phytopathol.*, vol. 73, no. 3, pp. 377–395, Sep. 2020, doi: 10.1007/s42360-020-00244-9.
- [15] Y. Li *et al.*, “Sexual spores in edible mushroom: bioactive components, discharge mechanisms and effects on fruiting bodies quality,” *Food Sci. Hum. Wellness*, vol. 12, no. 6, pp. 2111–2123, Nov. 2023, doi: 10.1016/j.fshw.2023.03.014.
- [16] D. Liu, “Classification of medically important fungi,” in *Molecular Medical Microbiology*, Elsevier, 2024, pp. 2763–2777.
- [17] T. Nakazawa *et al.*, “Pleurotus ostreatus as a model mushroom in genetics, cell biology, and material sciences,” *Appl. Microbiol. Biotechnol.*, vol. 108, no. 1, p. 217, Dec. 2024, doi: 10.1007/s00253-024-13034-4.
- [18] M. Silva, A. C. Ramos, F. J. Lidon, F. H. Reboredo, and E. M. Gonçalves, “No Title,” *Foods*, vol. 13, no. 10, p. 1464, May 2024, doi: 10.3390/foods13101464.
- [19] F. Wu *et al.*, “Global Diversity and Updated Phylogeny of Auricularia (Auriculariales, Basidiomycota),” *J. Fungi*, vol. 7, no. 11, p. 933, Nov. 2021, doi: 10.3390/jof7110933.
- [20] M. Dzomeku, F. Alemawor, J. K. Agbenorhevi, I. N. Oduro, and M. Obodai, “Diversity and domestication of mushroom species in the Atewa forest reserve and Bia Biosphere, Ghana,” *Sci. African*, vol. 21, p. e01805, Sep. 2023, doi: 10.1016/j.sciaf.2023.e01805.
- [21] F. Asad, H. Anwar, H. M. Yassine, M. I. Ullah, Z. Kamran, and M. U. Sohail, “White Button Mushroom, *Agaricus bisporus* (Agaricomycetes), and a

- Probiotics Mixture Supplementation Correct Dyslipidemia without Influencing the Colon Microbiome Profile in Hypercholesterolemic Rats,” *Int. J. Med. Mushrooms*, vol. 22, no. 3, pp. 235–244, 2020, doi: 10.1615/IntJMedMushrooms.2020033807.
- [22] Y. Feng *et al.*, “Recent advances in *Agaricus bisporus* polysaccharides: Extraction, purification, physicochemical characterization and bioactivities,” *Process Biochem.*, vol. 94, pp. 39–50, Jul. 2020, doi: 10.1016/j.procbio.2020.04.010.
- [23] R. Sahu, M. Maharania, C. Jangde, and S. Sahu, “Survey, Morpho-microscopic Characterization of Paddy Straw Mushroom (*Volvariella volvacea*) from Different Locations of Chhattisgarh, India,” *J. Exp. Agric. Int.*, vol. 46, no. 6, pp. 51–60, Apr. 2024, doi: 10.9734/jeai/2024/v46i62456.
- [24] D. Bao *et al.*, “Sequencing and Comparative Analysis of the Straw Mushroom (*Volvariella volvacea*) Genome,” *PLoS One*, vol. 8, no. 3, p. e58294, Mar. 2013, doi: 10.1371/journal.pone.0058294.
- [25] P. Alvarado *et al.*, “*Amanita* Section Phalloideae Species in the Mediterranean Basin: Destroying Angels Reviewed,” *Biology (Basel)*, vol. 11, no. 5, p. 770, May 2022, doi: 10.3390/biology11050770.
- [26] J. E. I. Codjia *et al.*, “Morphology, Multilocus Phylogeny, and Toxin Analysis Reveal *Amanita albolimbata*, the First Lethal *Amanita* Species From Benin, West Africa,” *Front. Microbiol.*, vol. 11, p. 599047, Nov. 2020, doi: 10.3389/fmicb.2020.599047.
- [27] G. T. Odamtten, M. Wiafe-Kwagyan, and N. K. Kortei, “Observations on some Fairy Ring Forming *Lepiota* Mushrooms (Basidiomycota; Agaricales) in Ghana,” *Ghana J. Sci.*, vol. 63, no. 1, pp. 83–89, Jul. 2022, doi: 10.4314/gjs.v63i1.6.
- [28] S. Sarawi, Y.-N. Shi, H. Lotz-Winter, K. Reschke, H. B. Bode, and M. Piepenbring, “Occurrence and chemotaxonomical analysis of amatoxins in *Lepiota* spp. (Agaricales),” *Phytochemistry*, vol. 195, p. 113069, Mar. 2022, doi: 10.1016/j.phytochem.2021.113069.
- [29] H. Lee, K. Wissitrassameewong, M. S. Park, A. Verbeken, J. Eimes, and Y. W. Lim, “Taxonomic revision of the genus *Lactarius* (Russulales,

- Basidiomycota) in Korea,” *Fungal Divers.*, vol. 95, no. 1, pp. 275–335, Mar. 2019, doi: 10.1007/s13225-019-00425-6.
- [30] P. Uniyal, K. Das, and R. P. Bhatt, “Lactarius pleuromacrocystidiatus (Russulaceae), a novel species from India,” *Kew Bull.*, vol. 74, no. 1, p. 8, Apr. 2019, doi: 10.1007/s12225-019-9799-0.
- [31] Q.-Y. Zhang *et al.*, “Enlargement of the knowledge of Cortinarius section Anomali (Agaricales, Basidiomycota): introducing three new species from China,” *Front. Cell. Infect. Microbiol.*, vol. 13, p. 1215579, Jun. 2023, doi: 10.3389/fcimb.2023.1215579.
- [32] Y. Chen *et al.*, “Morphological Characteristics and Molecular Evidence Reveal four New Species of Russula subg. Brevipedum from China,” *J. Fungi*, vol. 9, no. 1, p. 61, Dec. 2022, doi: 10.3390/jof9010061.
- [33] S. K. Tharnrat Kaewgrajang, “Morphology and molecular identification of some Lactarius and Russula species,” *Genomics Genet.*, vol. 13, p. 4458, 2020, doi: 10.14456/GAG.2020.6.
- [34] S. Dong, P. Wang, and K. Abbas, “A survey on deep learning and its applications,” *Comput. Sci. Rev.*, vol. 40, p. 100379, May 2021, doi: 10.1016/j.cosrev.2021.100379.
- [35] Y. Bengio, I. Goodfellow, and A. Courville, “Deep learning,” *MIT Press*, vol. 29, no. 7553, pp. 1–73, 2016, [Online]. Available: <http://deeplearning.net/>
- [36] M. A. Hossain and M. S. Alam Sajib, “Classification of Image using Convolutional Neural Network (CNN),” *Glob. J. Comput. Sci. Technol.*, vol. 19, no. May, pp. 13–18, 2019, doi: 10.34257/gjcsdvol19is2pg13.
- [37] S. ORAL, İ. ÖKTEN, and U. YÜZGEÇ, “Fungus Classification Based on CNN Deep Learning Model,” *Bitlis Eren Üniversitesi Fen Bilim. Derg.*, vol. 12, no. 1, pp. 226–241, 2023, doi: 10.17798/bitlisfen.1225375.
- [38] A. Nawrocka, M. Nawrocki, and A. Kot, “Research study of image classification algorithms based on Convolutional Neural Networks,” *Proc. 2023 24th Int. Carpathian Control Conf. ICC 2023*, pp. 299–302, 2023, doi: 10.1109/ICCC57093.2023.10178933.
- [39] Y. Xie, L. Le, Y. Zhou, and V. V. Raghavan, *Deep Learning for Natural*

- Language Processing*, 1st ed., vol. 38. Elsevier B.V., 2018. doi: 10.1016/bs.host.2018.05.001.
- [40] G. Gu, J.; Wang, Z.; Kuen, J.; Ma, L.; Shahroudy, A.; Shuai, B.; Liu, T.; Wang, X.; Wang, “Recent Advances in Convolutional Neural Networks,” *Pattern Recognit*, vol. 77, pp. 354–377, 2018.
- [41] C. Gulcehre, K. Cho, R. Pascanu, and Y. Bengio, “Learned-norm pooling for deep neural networks,” *Lect. Notes Comput. Sci.*, vol. 8724, pp. 530–546, 2014, [Online]. Available: <http://arxiv.org/abs/1311.1780>
- [42] Z. Yu, D.; Wang, H.; Chen, P.; Wei, “Mixed Pooling for Convolutional Neural Networks,” no. International Conference on Rough Sets and Knowledge Technology; Springer: Cham, Switzerland, pp. 364–375, 2014.
- [43] S. Yang, X. Li, X. Jia, Y. Wang, H. Zhao, and J. Lee, “Deep learning-based intelligent defect detection of cutting wheels with industrial images in manufacturing,” *Procedia Manuf.*, vol. 48, no. 2019, pp. 902–907, 2020, doi: 10.1016/j.promfg.2020.05.128.
- [44] M. M. K. Sarker, F. Akram, M. Alsharid, V. K. Singh, R. Yasrab, and E. Elyan, “Efficient Breast Cancer Classification Network with Dual Squeeze and Excitation in Histopathological Images,” *Diagnostics*, vol. 13, no. 1, pp. 1–15, 2023, doi: 10.3390/diagnostics13010103.
- [45] K. Indra Suryawan, “Klasifikasi Kanker Paru-Paru Menggunakan Convolutional Neural Network Dengan Arsitektur Efficientnet-B0,” pp. 1–69, 2022.
- [46] J. Xu, Y. Zhang, and D. Miao, “Three-way confusion matrix for classification: A measure driven view,” *Inf. Sci. (Ny)*, vol. 507, pp. 772–794, 2020, doi: 10.1016/j.ins.2019.06.064.
- [47] M. Tan and Q. V. Le, “EfficientNet: Rethinking model scaling for convolutional neural networks,” *36th Int. Conf. Mach. Learn. ICML 2019*, vol. 2019-June, pp. 10691–10700, 2019.
- [48] M. Tan and Q. V. Le, “EfficientNetV2: Smaller Models and Faster Training,” *Proc. Mach. Learn. Res.*, vol. 139, pp. 10096–10106, 2021.
- [49] “mushroom imgs.” [Online]. Available: <https://www.kaggle.com/datasets/melissaauckland/mushroom-imgs>.