

## Daftar Pustaka

- [1] J. J. Mongan Sanny, “PENGARUH PENGELUARAN PEMERINTAH BIDANG PENDIDIKAN DAN KESEHATAN TERHADAP INDEKS PEMBANGUNAN MANUSIA DI INDONESIA,” *JURNAL PERBENDAHARAAN, KEUANGAN NEGARA DAN KEBIJAKAN PUBLIK*, vol. 4, 2019, doi: <https://doi.org/10.33105/itrev.v4i2.122>.
- [2] “LAYANAN KEMENTERIAN KESEHATAN.” Accessed: Apr. 29, 2024. [Online]. Available: <https://www.kemkes.go.id/id/layanan/informasi-kefarmasian-dan-alat-kesehatan>
- [3] “PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NO. 73 TAHUN 2016.” Accessed: Feb. 07, 2025. [Online]. Available: <https://peraturan.bpk.go.id/Details/114626/permenkes-no-73-tahun-2016>
- [4] M. M. W. Parera, S. A. Kristina, and N. M. Yasin, “Implementasi Standar Pelayanan Kefarmasian di Apotek Kupang,” *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, vol. 11, no. 3, p. 185, Sep. 2021, doi: 10.22146/jmpf.65738.
- [5] A. Faruk Alrosyidi and S. Kurniasari, “Pelaksanaan Standar Pelayanan Kefarmasian di Apotek Kabupaten Pamekasan Tahun 2020,” *Journal of Pharmacy and Science*, vol. 5, no. 2, 2020, doi: 10.53342/pharmasci.v5i2.180.
- [6] Novega, “Kepuasan Pasien Jaminan Kesehatan Nasional pada Pelayanan Kefarmasian RSUD M. Yunus Kota Bengkulu,” *J Public Health (Bangkok)*, vol. 5, 2022, doi: <https://doi.org/10.32662/gjph.v5i2.2490>.
- [7] Vika Indrianti Putri, “Hubungan Waktu Tunggu Pelayanan Resep Obat Dengan Tingkat Kepuasan Pasien di Instalasi Farmasi Rawat Jalan RSI Masyithoh Bangil Kabupaten Pasuruan,” *Journal Of Social Science Research*, vol. 3, no. 5, 2023.
- [8] O. Meila, J. Pontoan, E. Zizwanto, P. Satkes, P. Mabes, and P. J. Selatan, “Analisis Tingkat Kepuasan Pasien BPJS Pada Pelayanan Kefarmasian Di Apotek Klinik SATKES PUSDOKKES MABES POLRI Analysis Of BPJS Patient Satisfaction Level In Pharmaceutical Services In Pharmacy SATKES PUSDOKKES MABES POLRI,” *Clinical and Pharmaceutical Sciences*, 2020, doi: 10.30587/herclips.v1i02.1520.
- [9] R. Alfatiyah and S. Bastuti, “Optimalisasi Sistem Antrian di Farmasi Rawat Jalan Rumah Sakit Grha Permata Ibu dengan Metode Lean Hospital,” *Performa: Media Ilmiah Teknik Industri*, vol. 21, no. 1, p. 1, Apr. 2022, doi: 10.20961/performa.21.1.50455.

- [10] C. B. Hakim *et al.*, “USULAN MODEL SISTEM ANTRIAN PADA INSTANLASI FARMASI BPJS RUMAH SAKIT ABC DI KUDUS,” *Jurnal Teknologi dan Manajemen Industri*, vol. 5, no. 1, pp. 1–9, 2024, Accessed: Feb. 07, 2025. [Online]. Available: <https://ejr.umku.ac.id/index.php/jatmi/article/view/2269/1237>
- [11] Hilmy Nabil Farrosi, “DISPENSER OBAT OTOMATIS UNTUK PENDERITA TUBERKULOSIS,” Universitas Islam indonesia, 2021. Accessed: Feb. 07, 2025. [Online]. Available: <https://dspace.uui.ac.id/handle/123456789/30922>
- [12] MIFTA THAHIRA, “DISPENSER BUBUK JAMU OTOMATIS BERDASARKAN KELUHAN,” 2021. Accessed: Feb. 07, 2025. [Online]. Available: <http://eprints.ums.ac.id/id/eprint/92691>
- [13] Â. M. Bagattini, J. L. A. Borges, R. Riera, and D. C. M. F. de Carvalho, “Automation of a tertiary hospital pharmacy drug dispensing system in a lower-middle-income country: A case study and preliminary results,” *Exploratory Research in Clinical and Social Pharmacy*, vol. 6, Jun. 2022, doi: 10.1016/j.rcsop.2022.100151.
- [14] M. Yuan, N. Zhao, K. Wu, and Z. Chen, “The storage location assignment problem of automated drug dispensing machines,” *Comput Ind Eng*, vol. 184, Oct. 2023, doi: 10.1016/j.cie.2023.109578.
- [15] W. Setiady, A. Agung, and D. Setyawan, “RANCANG BANGUN ORANGE PI 3 LTS SEBAGAI SERVER UNTUK TABLET PENDANT DENGAN MENGGUNAKAN NODE-RED,” *Jurnal Inkofar \**, vol. 6, no. 2, pp. 2581–2920, 2022, doi: 10.46846/jurnalinkofar.v6i2.236.
- [16] M. Saqib, T. A. Almohamad, and R. M. Mehmood, “A low-cost information monitoring system for smart farming applications,” *Sensors (Switzerland)*, vol. 20, no. 8, Apr. 2020, doi: 10.3390/s20082367.
- [17] “FARMASI.” Accessed: May 15, 2024. [Online]. Available: <https://upk.kemkes.go.id/new/layanan/farmasi>
- [18] “PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NO. 72 TAHUN 2016.” Accessed: May 16, 2024. [Online]. Available: <https://peraturan.bpk.go.id/Details/114491/permenkes-no-72-tahun-2016>
- [19] “Peraturan Pemerintah (PP) Nomor 51 Tahun 2009 tentang Pekerjaan Kefarmasian.” Accessed: Feb. 07, 2025. [Online]. Available: <https://peraturan.bpk.go.id/Details/4975/pp-no-51-tahun-2009>
- [20] J. Farmasi *et al.*, “TINGKAT KEPUASAN PASIEN TERHADAP PELAYANAN KOMUNIKASI, INFORMASI, DAN EDUKASI (KIE) OBAT OLEH TENAGA KEFARMASIAN DI APOTEK NOGOSARI

- FARMA,” *Junral Farmasi Kesehatan Indonesia*, vol. II, 2022, Accessed: Feb. 07, 2025. [Online]. Available: <https://pdfs.semanticscholar.org/bf61/3df251056ab798a6b19c1bce46f438ee02ce.pdf>
- [21] K. Erlianti, L. Mardiana, and I. Kalimantan Muhammad Arsyad Al Banjari Banjarmasin, “ANALISIS KINERJA APOTEKER DALAM PELAYANAN FARMASI KLINIK DI PUSKESMAS KOTA BANJARMASIN,” *Al Ulum Sains dan Teknologi*, vol. 7, no. 1, 2021, doi: <http://dx.doi.org/10.31602/ajst.v7i1.5882>.
- [22] R. Purwana, A. Deswita Chaniago, P. D. Studi, K. Institut Kesehatan Helvetia, K. D. Institut Kesehatan Helvetia Program Studi, and K. dan Keselamatan Kerja Institut Kesehatan Helvetia, “PENGARUH KETERAMPILAN BAHASA INGGRIS TERHADAP KINERJA APOTEKER DALAM PELAYANAN FARMASI,” *Jurnal Ilmu kesehatan*, vol. 2, 2023, [Online]. Available: <https://journal-mandiracendikia.com/jikmc>
- [23] N. Rosar and Y. Triana, “TANGGUNG JAWAB DOKTER TERHADAP PASIEN DALAM PEMBERIAN OBAT (SELF DISPENSING) OLEH DOKTER DI PRAKTEK MANDIRI,” 2022. [Online]. Available: <http://jurnal.goretanpena.com/index.php/JSSR>
- [24] M. Rianty Lakoan, “DETERMINAN PENERAPAN PERMENKES NOMOR 72 TAHUN 2016 TENTANG STANDAR PELAYANAN KEFARMASIAN DI INSTALASI FARMASI RUMAH SAKIT X DI KOTA DEPOK,” *Indonesian Journal of Health Science*, vol. 3, no. 1, p. 2023, doi: 10.54957/ijhs.v3i1.410.
- [25] P. Dyah Setyowati Adhiningsih, T. Aspiranti, and N. Kesumah, “Analisis Penyebab Medication Error pada Pasien Rawat INAP (Studi Kasus di RS Tmc-Kota Tasikmalaya),” *Jurnal Ilmiah Ilmu Pendidikan*, vol. 7, 2024, doi: 10.54371/jiip.v7i1.3242.
- [26] E. T. P. H. A. Novi Handoko1, “ANALISIS PENERAPAN KESELAMATAN PASIEN DALAM PEMBERIAN OBAT TERHADAP TERJADINYA MEDICATION ERROR DI INSTALASI FARMASI RS X TAHUN 2023,” vol. 18, 2023.
- [27] N. Probosiwi *et al.*, “Analisis Faktor yang Berhubungan dengan Medication Error Pasien Rawat Inap di Klinik X Kediri,” *Jurnal Ilmiah Universitas Batanghari Jambi*, vol. 21, no. 3, p. 1123, Oct. 2021, doi: 10.33087/jiubj.v21i3.1605.
- [28] Sri Hartanto, “Tegangan Motor DC Terhadap Berat Barang Pada Ban Berjalan,” *JURNAL ELEKTRO*, vol. 10, no. 2, Jul. 2022.

- [29] I. Dani and A. Herlina, “RANCANG BANGUN SANDING MACHINE OTOMATIS MENGGUNAKAN CONVEYOR DENGAN PROXIMITY SENSOR,” vol. 25, no. 2, 2023, doi: 10.24912/tesla.v25i2.26536.
- [30] V. H. Pinto, J. Gonçalves, and P. Costa, “Modeling and control of a dc motor coupled to a non-rigid joint,” *Applied System Innovation*, vol. 3, no. 2, pp. 1–19, Jun. 2020, doi: 10.3390/asi3020024.
- [31] T. P. Cabré, A. S. Vela, M. T. Ribes, J. M. Blanc, J. R. Pablo, and F. C. Sancho, “Didactic platform for DC motor speed and position control in Z-plane,” *ISA Trans*, vol. 118, pp. 116–132, Dec. 2021, doi: 10.1016/j.isatra.2021.02.020.
- [32] Admin TeknoBgt, “Cara Menghitung RPM Motor DC.” Accessed: Jun. 18, 2024. [Online]. Available: <https://www.teknobgt.com/230339/cara-menghitung-rpm-motor-dc.html>
- [33] PETRA YERICSEN, “ANALISA EFISIENSI GEARBOX PADA MOTOR PENGGERAK LISTRIK KAPAL NELAYAN,” Universitas Hasanudin, Gowa, 2023. Accessed: Feb. 08, 2025. [Online]. Available: [https://repository.unhas.ac.id/id/eprint/32363/2/D33116009\\_skripsi\\_08-08-2023%20bab%201-2.pdf](https://repository.unhas.ac.id/id/eprint/32363/2/D33116009_skripsi_08-08-2023%20bab%201-2.pdf)
- [34] Arduino Reference, “Serial Communication.” Accessed: May 17, 2024. [Online]. Available: <https://www.arduino.cc/reference/en/language/functions/communication/serial/>
- [35] Kelvin Kristian Roestamadji, Florentinus Budi Setiawan, Leonardus Heru Pratomo, and Slamet Riyadi, “Implementation of Self Driving Car System with HSV Filter Method Based on Raspberry & Arduino Serial Communication,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 7, no. 3, pp. 430–436, Jun. 2023, doi: 10.29207/resti.v7i3.4579.
- [36] T. R. Kurfess, C. Saldana, K. Saleeby, and M. P. Dezfouli, “A Review of Modern Communication Technologies for Digital Manufacturing Processes in Industry 4.0,” Nov. 01, 2020, *American Society of Mechanical Engineers (ASME)*. doi: 10.1115/1.4048206.
- [37] E. Peña and M. G. Legaspi, “UART: A Hardware Communication Protocol Understanding Universal Asynchronous Receiver/Transmitter,” *VISIT ANALOG.COM*, vol. 54, no. 4, 2020. Accessed: Feb. 08, 2025. [Online]. Available: <https://fgcoca.github.io/Autocaravana-inteligente/datasheet/uart-a-hardware-communication-protocol.pdf>

- [38] T. Vince *et al.*, “IoT Implementation in Remote Measuring Laboratory VMLab Analyses,” *Journal of Universal Computer Science*, vol. 26, no. 11, pp. 1402–1421, 2020, doi: 10.3897/jucs.2020.074.
- [39] V. K. Ivanov and E. V. Nosov, “Serial communication protocol for FPGA-based systems,” in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Oct. 2019. doi: 10.1088/1742-6596/1326/1/012044.
- [40] N. A. Hussien, A. A. D. Al Magsoosi, A. A. D. Al Magsoosi, H. T. Salim AlRikabi, and F. T. Abed, “Monitoring the Consumption of Electrical Energy Based on the Internet of Things Applications,” *International Journal of Interactive Mobile Technologies*, vol. 15, no. 7, pp. 17–29, 2021, doi: 10.3991/ijim.v15i07.20183.
- [41] T. O. Hodson, “Root-mean-square error (RMSE) or mean absolute error (MAE): when to use them or not,” Jul. 19, 2022, *Copernicus GmbH*. doi: 10.5194/gmd-15-5481-2022.
- [42] M. Čalasan, I. Radonjić, M. Micev, M. Petronijević, and L. Pantić, “Voltage root mean square error calculation for solar cell parameter estimation: A novel g-function approach,” *Heliyon*, vol. 10, no. 18, p. e37887, 2024, doi: <https://doi.org/10.1016/j.heliyon.2024.e37887>.
- [43] A. Seyedolhosseini, M. Modarressi, N. Masoumi, and N. Karimian, “Efficient photodetector placement for daylight-responsive smart indoor lighting control systems,” *Journal of Building Engineering*, vol. 42, p. 103013, 2021, doi: <https://doi.org/10.1016/j.jobe.2021.103013>.
- [44] S. Sivakumar, S. S. Sridhar, R. Rajalakshmi, M. Pushpalatha, S. Shanmugan, and G. Niranjana, “Intelligent and assisted medicine dispensing machine for elderly visual impaired people with deep neural network fingerprint authentication system,” *Internet of Things (Netherlands)*, vol. 23, Oct. 2023, doi: 10.1016/j.iot.2023.100821.
- [45] V. Peddisetti, P. Kumar Kandregula, J. Anil John, S. Poomdla, K. George, and A. Panangadan, “Smart Medication Management: Enhancing Medication Adherence with an IoT-based Pill Dispenser and Smart Cup,” 2024, doi: 10.1109/AIMHC59811.2024.00032.
- [46] R. Kishore Kanna, R. Vasuki, and N. Kripa, “MODERN SMART MEDICINE DISPENSER KIT BASED ON EMERGENCY ALERT SYSTEM,” *Journal of Xi’an Shiyou University, Natural Sciences Edition*, 2021, doi: <https://doicatalog.org/19.4101/jxsu.v64i6.1987>.
- [47] Z. Nasir, A. Asif, M. Nawaz, and M. Ali, “Design of a Smart Medical Box for Automatic Pill Dispensing and Health Monitoring †,” *Engineering Proceedings*, vol. 32, no. 1, 2023, doi: 10.3390/engproc2023032007.

- [48] O. Al-Mahmud, K. Khan, R. Roy, and F. Mashuque Alamgir, "Internet of Things (IoT) based smart health care medical box for elderly people," in *2020 International Conference for Emerging Technology, INCET 2020*, Institute of Electrical and Electronics Engineers Inc., Jun. 2020. doi: 10.1109/INCET49848.2020.9153994.
- [49] D. Yuliana *et al.*, "Evaluasi Waktu Tunggu Pelayanan Resep Obat Racikan dan Non Racikan pada Pasien Rawat Jalan di Apotek," *Bioscientist : Jurnal Ilmiah Biologi*, vol. 9, no. 2, p. 659, Dec. 2021, doi: 10.33394/bioscientist.v9i2.4950.
- [50] P. Harahap and M. Adam, "Efisiensi Daya Listrik pada Dispenser dengan Jenis Merk yang Berbeda Menggunakan Inverter," *RESISTOR (Elektronika Kendali Telekomunikasi Tenaga Listrik Komputer)*, vol. 4, no. 1, 2021.
- [51] S. Huda, T. B. Imansah, and E. D. Hartono, "Prototipe Monitoring Daya Listrik dan Pengendalian Perangkat Elektronik Skala Industri Berbasis IoT di CV. Wellracom Nusantara Surabaya," *Jurnal Informatika Merdeka Pasuruan*, vol. 6, no. 3, 2021, doi: 10.37438/jimp.v6i3.340.