

DAFTAR PUSTAKA

- [1] M. Niu, R. Tang, Y. Qu, X. He, X. Cao, and Y. Yu, "Collaborative filtering with graph-based implicit feedback," in *Proc. 2018 IEEE 3rd Int. Conf. Cloud Comput. Internet Things (CCIOT)**, pp. 296–303, Oct. 2018.
- [2] C. Chen, D. Wang, and Y. Ding, "User actions and timestamp based personalized recommendation for E-commerce system," in *Proc. 2016 IEEE Int. Conf. Comput. Inf. Technol. (CIT)**, pp. 183–189, Dec. 2016, doi: 10.1109/CIT.2016.35.
- [3] C. Rana and S. K. Jain, "Building a book recommender system using time based content filtering," *WSEAS Trans. Comput.*, vol. 11, no. 2, pp. 27–33, Feb. 2012.
- [4] Y. Koren, "Collaborative filtering with temporal dynamics," in *Proc. 15th ACM SIGKDD Int. Conf. Knowl. Discov. Data Min. (KDD)*, Paris, France, Jun. 2009, pp. 447–456, doi: 10.1145/1557019.1557072.
- [5] Y. Jia, C. Zhang, Q. Lu, and P. Wang, "Users' brands preference based on SVD++ in recommender systems," in *Proc. IEEE Work- shop Adv. Res. Technol. Ind. Appl. (WARTIA)**, pp. 1175–1177, Aug. 2014, doi: 10.1109/WARTIA.2014.6976428.
- [6] Y. Hu, F. Xiong, D. Lu, X. Wang, X. Xiong, and H. Chen, "Movie collaborative filtering with multiplex implicit feedbacks," *Neurocomputing*, vol. 2020, no. 1, pp. 1–11, Jul. 2019, doi: 10.1016/j.neucom.2019.03.098.
- [7] S. Wang, G. Sun, and Y. Li, "SVD++ recommendation algorithm based on backtracking," *Information*, vol. 11, no. 369, pp. 1–12, Jul. 2020, doi: 10.3390/info11070369.
- [8] J. Chen, C. Wang, S. Zhou, Q. Shi, J. Chen, Y. Feng, and C. Chen, "Fast adaptively weighted matrix factorization for recommendation with implicit feedback," in *Proc. AAAI Conf. Artif. Intell.**, vol. 34, no. 2, pp. 2353–2361, Mar. 2020, doi: 10.1609/aaai.v34i02.5472.
- [9] D. Perera and R. Zimmermann, "Towards comprehensive recommender systems: time-aware unified recommendations based on listwise ranking of implicit cross-network data," *arXiv preprint arXiv:2008.13516*, Aug. 2020.
- [10] G. He, D. Zhao, and L. Ding, "Dual-embedding based neural collaborative filtering for recommender systems," *arXiv preprint arXiv:2102.02549*, Feb. 2021.
- [11] S. Zheng, C. Ding, and F. Nie, "Regularized singular value decomposition and application to recommender system," *arXiv preprint arXiv:1804.05090*, Apr. 2018.

- [12] G. Jain, T. Mahara, and S. C. Sharma, "Performance evaluation of time-based recommendation system in collaborative filtering technique," *Procedia Computer Science*, vol. 218, pp. 1834–1844, 2023.
- [13] M. Al-Ghamdi, H. Elazhary, and A. Mojahed, "Evaluation of collaborative filtering for recommender systems," *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 12, no. 3, pp. 559–565, 2021.
- [14] R. Kumar, B. K. Verma, and S. S. Rastogi, "Social popularity based SVD++ recommender system," *International Journal of Computer Applications*, vol. 87, no. 14, pp. 33–35, Feb. 2014.
- [15] D. Liu and H. Li, "A matrix decomposition model based on feature factors in movie recommender system," in *arXiv preprint arXiv:2206.05654*, Dec. 2023.
- [16] A. Budhiraja, "Revisiting SVD to generate powerful node embeddings for recommender systems," in *arXiv preprint arXiv:2110.03665*, Oct. 2021.
- [17] N. Anusha, D. Deekshitha, G. Bhavya, and B. Mohitha, "An approach for movie recommendation using collaborative filtering with singular value decomposition," *ARPJ Journal of Engineering and Applied Sciences*, vol. 18, no. 13, pp. 1567–1572, Jul. 2023.
- [18] P. Khadka and P. Lamichhane, "Content-based recommendation engine for video streaming platform," in *Proceedings of the International Conference*, Texas International College, Tribhuvan University, Kathmandu, Nepal, 2023.
- [19] M. M. Mehrabani, H. Mohayeji, and A. Moeini, "A hybrid approach to enhance pure collaborative filtering based on content feature relationship," *arXiv preprint arXiv:2005.08148*, May 2020.
- [20] Z. K. A. Baizal, D. H. Widyantoro, and N. U. Maulidevi, "Design of knowledge for conversational Recommender system based on product functional requirements," *2016 International Conference on Data and Software Engineering (ICoDSE)*, pp. 1–6, Oct. 2016.
- [21] J. Feng, X. Fengs, N. Zhang, and J. Peng, "An improved collaborative filtering method based on similarity," *PLOS ONE*, vol. 13, no. 9, pp. e0204003, Sep. 2018.
- [22] M. S. Ayundhita, Z. K. A. Baizal, and Y. Sibaroni, "Ontology-based conversational recommender system for recommending laptop," *IOP Conference Series: Journal of Physics*, vol. 1192, no. 1, pp. 1–8, 2019. DOI: 10.1088/1742-6596/1192/1/012020.
- [23] B. T. Imani and E. B. Setiawan, "Recommender system based on matrix factorization on twitter using random forest (case study: movies on netflix)," *Intl. Journal on ICT*, vol. 8, no. 2, pp. 11–21, Dec. 2022. DOI: 10.21108/ijoiict.v8i2.
- [24] R. Kumar, B. K. Verma, and S. S. Rastogi, "Social popularity based SVD++ recommender system," *International Journal of Computer Applications*,

vol. 87, no. 14, pp. 33–37, Feb. 2014.

- [25] B. Zhang, X. Zhou, J. Li, and L. Li, “Recommendation algorithm based on matrix SVD with exponential correction,” *Proc. Intl. Conf. on Computers, Information Processing and Advanced Education (CIPAE)*, vol. 1, pp. 71–75, Oct. 2020. DOI: 10.1145/3419635.3419659.
- [26] S. Jiang, J. Li, and W. Zhou, “An application of SVD++ method in collaborative filtering,” *Proc. Intl. Computer Conf. on Wavelet Active Media Technology and Information Processing (IC-CWAMTIP)*, vol. 1, pp. 192–197, Dec. 2020. DOI: 10.1109/IC-CWAMTIP51612.2020.9317347.