

REFERENCES

- [1] A. R. Almutairi et al., "Real-World safety and effectiveness of evolocumab in primary hypercholesterolemia and mixed dyslipidemia in Saudi Arabia," *Saudi Pharm. J.*, vol. 32, no. 12, p. 102203, 2024, doi: 10.1016/j.jsps.2024.102203.
- [2] A. Bou Ghannam, R. Istambouli, M. S. Hamam, J. M. Chalhoub, A. C. Fahed, and R. N. Hamam, "Ocular manifestations of severe familial hypercholesterolemia," *Heliyon J.*, vol. 10, no. 9, p. e30487, 2024. doi: 10.1016/j.heliyon.2024.e30487.
- [3] J. Song et al., "Beyond conventional treatment: ASGR1 Leading the new era of hypercholesterolemia management," *Biomed. Pharmacother.*, vol. 180, p. 117488, 2024. doi: 10.1016/j.biopha.2024.117488.
- [4] C. E. Cabral and M. R. S. T. Klein, "Phytosterols in the Treatment of Hypercholesterolemia and Prevention of Cardiovascular Diseases," *Arq. Bras. Cardiol.*, vol. 109, no. 5, pp. 475–482, 2017. doi: 10.5935/abc.20170158.
- [5] G. S. Mannu, M. J. Zaman, A. Gupta, H. U. Rehman, and P. K. Myint, "Evidence of Lifestyle Modification in the Management of Hypercholesterolemia," *Curr. Cardiol. Rev.*, vol. 9, no. 1, pp. 2–14, 2013. doi: 10.2174/157340313805076313.
- [6] J. A. S. Carson et al., "Dietary Cholesterol and Cardiovascular Risk: A Science Advisory from the American Heart Association," *Circulation*, vol. 141, no. 3, pp. e39–e53, 2020. doi: 10.1161/CIR.0000000000000743.
- [7] F. M. D. Richtman and Z. K. A. Baizal, "Ontology-based Conversational Recommender System for Recommending Bicycle," *ICADEIS 2023 - Int. Conf. Adv. Data Sci. E-Learning Inf. Syst. Data, Intell. Syst. Appl. Hum. Life, Proceeding*, 2023, doi: 10.1109/ICADEIS58666.2023.10271028.
- [8] R. C. Chen, Y. H. Huang, C. T. Bau, and S. M. Chen, "A recommendation system based on domain ontology and SWRL for anti-diabetic drugs selection," *Expert Syst. Appl.*, vol. 39, no. 4, pp. 3995–4006, 2012, doi: 10.1016/j.eswa.2011.09.061.

- [9] A. Al-Nazer, T. Helmy, and M. Al-Mulhem, "User's Profile Ontology-Based Semantic Framework for Personalized Food and Nutrition Recommendation," *Procedia Comput. Sci.*, vol. 32, pp. 101–108, 2014. doi: 10.1016/j.procs.2014.05.403.
- [10] D. McKensy-Sambola, M. Á. Rodríguez-García, F. García-Sánchez, and R. Valencia-García, "Ontology-Based Nutritional Recommender System," *Appl. Sci.*, vol. 12, no. 1, p. 143, 2022. doi: 10.3390/app12010143.
- [11] H. El Massari, N. Gherabi, S. Mhammedi, Z. Sabouri, and H. Ghandi, "Ontology-Based Decision Tree Model For Prediction Of Cardiovascular Disease," *Indian J. Comput. Sci. Eng.*, vol. 13, no. 3, pp. 851–859, 2022. doi: 10.21817/indjcse/2022/v13i3/221303143.
- [12] Ö. Taçyıldız and D. Çelik Ertuğrul, "A decision support system on the obesity management and consultation during childhood and adolescence using ontology and semantic rules," *J. Biomed. Inform.*, vol. 110, p. 103554, 2020. doi: 10.1016/j.jbi.2020.103554.
- [13] Y.-L. Chi, T.-Y. Chen, and W.-T. Tsai, "A chronic disease dietary consultation system using OWL-based ontologies and semantic rules," *J. Biomed. Inform.*, vol. 53, pp. 208–219, 2015. doi: 10.1016/j.jbi.2014.11.001.
- [14] N. Rahmawati, Z. K. A. Baizal, and M. Imrona, "Conversational Recommender System with Explanation Facility Using Semantic Reasoning," *International Journal on Information and Communication Technology (IJOICT)*, vol. 2, no. 1, pp. 1–12, Jul. 2016. doi: 10.21108/IJOICT.2016.21.64.
- [15] Z. K. A. Baizal, D. Tarwidi, A. Adiwijaya, and B. F. Wijaya, "Tourism Destination Recommendation Using Ontology-based Conversational Recommender System," *Int. J. Comput. Digit. Syst.*, vol. 10, no. 1, pp. 829–838, 2021, doi: 10.12785/IJCDS/100176.

- [16] M. S. Ayundhita, Z. K. A. Baizal, and Y. Sibaroni, "Ontology-based conversational recommender system for recommending laptop," *J. Phys. Conf. Ser.*, vol. 1192, p. 012020, 2019. doi: 10.1088/1742-6596/1192/1/012020.
- [17] M. Amith, C. Onye, T. Ledoux, G. Xiong, and C. Tao, "The ontology of fast food facts: conceptualization of nutritional fast food data for consumers and semantic web applications," *BMC Med. Inform. Decis. Mak.*, vol. 21, no. 7, p. 275, 2021. doi: 10.1186/s12911-021-01636-1.
- [18] D. Frankenfield, L. Roth-Yousey, and C. Compher, "Comparison of Predictive Equations for Resting Metabolic Rate in Healthy Nonobese and Obese Adults: A Systematic Review," *J. Am. Diet. Assoc.*, vol. 105, no. 5, pp. 775–789, 2005. doi: 10.1016/j.jada.2005.02.005.
- [19] F. C. Bull et al., "World Health Organization 2020 guidelines on physical activity and sedentary behaviour," *Br. J. Sports Med.*, vol. 54, no. 24, pp. 1451–1462, 2020. doi: 10.1136/bjsports-2020-102955.
- [20] S. S. Virani et al., "2023 AHA/ACC/ACCP/ASPC/NLA/PCNA guideline for the management of patients with chronic coronary disease: A report of the American Heart Association/American College of Cardiology joint committee on clinical practice guidelines," *Circulation*, vol. 148, no. 9, pp. e9–e119, 2023. doi: 10.1161/CIR.0000000000001168.
- [21] J. Gupta, V. Singh, and I. Kumar, "Florence- A Health Care Chatbot," in *Proc. 2021 7th Int. Conf. Adv. Comput. Commun. Syst. (ICACCS)*, Coimbatore, India, 2021, pp. 504–508. doi: 10.1109/ICACCS51430.2021.9442006.