

DAFTAR PUSTAKA

- [1] H. Sung and J. Ferlay, “Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries,” *CA Cancer J Clin*, vol. 71, no. 3, pp. 209–249, May 2021, doi: 10.3322/caac.21660.
- [2] Y. Hou, W. Wang, and P. Bartolo, “Application of additively manufactured 3D scaffolds for bone cancer treatment: a review,” *Biodes Manuf*, vol. 5, no. 3, pp. 556–579, Jul. 2022, doi: 10.1007/s42242-022-00182-7.
- [3] N. Kumar and B. Gupta, “Global incidence of primary malignant bone tumors,” *Curr Orthop Pract*, vol. 27, no. 5, pp. 530–534, Oct. 2016, doi: 10.1089/ten.TEA.2022.0177.
- [4] Y. Hou, W. Wang, and P. Bartolo, “The effect of graphene and graphene oxide induced reactive oxygen species on polycaprolactone scaffolds for bone cancer applications,” *Mater Today Bio*, vol. 24, no. 100886, pp. 1–13, Feb. 2024, doi: 10.1016/j.mtbio.2023.100886.
- [5] S. D. Kozusko, C. Riccio, M. Goulart, J. Bumgardner, and X. L. Jing, “Chitosan as a bone scaffold biomaterial,” *Journal of Craniofacial Surgery*, vol. 29, no. 7, pp. 1788–1793, Jul. 2018, doi: 10.1097/SCS.0000000000004909.
- [6] M. Nivedhitha Sundaram, S. Deepthi, and R. Jayakumar, “Chitosan-Gelatin composite scaffolds in bone tissue engineering,” *Chitin and Chitosan for Regenerative Medicine*, vol. 7, no. 1, pp. 99–121, Sep. 2015, doi: 10.1007/978-81-322-2511-9_5.
- [7] A. Georgopoulou, F. Papadogiannis, A. Batsali, J. Marakis, and K. Alpantaki, “Chitosan/gelatin scaffolds support bone regeneration,” *J Mater Sci Mater Med*, vol. 29, no. 59, pp. 1–13, May 2018, doi: 10.1007/s10856-018-6064-2.
- [8] Y. Liu, J. Lim, and S. H. Teoh, “Review: Development of clinically relevant scaffolds for vascularised bone tissue engineering,” *Biotechnol Adv*, vol. 31, no. 5, pp. 688–705, Sep. 2013, doi: 10.1016/j.biotechadv.2012.10.003.

- [9] H. Cao, J. Wang, Z. Hao, and D. Zhao, “Gelatin-based biomaterials and gelatin as an additive for chronic wound repair,” *Front Pharmacol*, vol. 15, no. 1, pp. 01–15, May 2024, doi: 10.3389/fphar.2024.1398939.
- [10] M. H. Ereth, Y. Dong, L. M. Schrader, N. A. Henderson, and S. Agarwal, “Microporous Polysaccharide Hemospheres Do Not Enhance Abdominal Infection in a Rat Model Compared with Gelatin Matrix,” *Surg Infect (Larchmt)*, vol. 10, no. 3, pp. 273–276, Jul. 2009, doi: 10.1089=sur.2007.033.
- [11] C. Lestari, E. Darwin, D. P. Putra, N. Suharti, and B. A. Gani, “The Role of Plant Extracts in The Repair of Rattus Norvegicus Mandibular Alveolar Bone in a Periodontitis Model,” *Rasayan Journal of Chemistry*, vol. 16, no. 3, pp. 1342–1350, Jul. 2023, doi: 10.31788/RJC.2023.1638159.
- [12] A. Hanga-Farcaş, F. Miere, and G. A. Filip, “Phytochemical Compounds Involved in the Bone Regeneration Process and Their Innovative Administration: A Systematic Review,” *Plants*, vol. 12, no. 10, pp. 1–32, May 2023, doi: 10.3390/plants12102055.
- [13] B. Alam, R. Majumder, S. Akter, and S. H. Lee, “Piper betle extracts exhibit antitumor activity by augmenting antioxidant potential,” *Oncol Lett*, vol. 9, no. 2, p. 863, Feb. 2015, doi: 10.3892/ol.2014.2738.
- [14] S. Jana, S. J. Florczyk, M. Leung, and M. Zhang, “High-strength pristine porous chitosan scaffolds for tissue engineering,” *J Mater Chem*, vol. 22, no. 13, pp. 6291–6299, Apr. 2012, doi: 10.1039/c2jm16676c.
- [15] Y. Hou, W. Wang, and P. Bartolo, “Application of additively manufactured 3D scaffolds for bone cancer treatment: a review,” *Biodes Manuf*, vol. 5, pp. 556–579, 2022, doi: 10.1007/s42242-022-00132-1.
- [16] K. Guillén-Carvajal, B. Valdez-Salas, E. Beltrán-Partida, J. Salomón-Carlos, and N. Cheng, “Chitosan, Gelatin, and Collagen Hydrogels for Bone Regeneration,” *Polymers (Basel)*, vol. 15, no. 13, pp. 1–27, Jul. 2023, doi: 10.3390/polym15132762.
- [17] F. Kadi, G. Dini, S. A. Poursamar, and F. Ejeian, “Fabrication and characterization of 3D-printed composite scaffolds of coral-derived hydroxyapatite nanoparticles/polycaprolactone/gelatin carrying doxorubicin

- for bone tissue engineering,” *J Mater Sci Mater Med*, vol. 35, no. 1, pp. 1–15, Dec. 2024, doi: 10.1007/s10856-024-06779-x.
- [18] C. H. Ché Thi, H. Đ. Nguyễn, and D. M. Lê Hoàng, “Influence of Piper betle L. extract on umbilical cord cells in vitro and potential treating cutaneous wound,” *Heliyon*, vol. 7, no. 3, pp. 1–8, Mar. 2021, doi: 10.1016/j.heliyon.2021.e06248.
- [19] M. Van Driel and J. P. T. M. Van Leeuwen, “Cancer and bone: A complex complex,” *Arch Biochem Biophys*, vol. 561, pp. 159–166, Nov. 2014, doi: 10.1016/j.abb.2014.07.013.
- [20] H. K. Brown, K. Schiavone, F. Gouin, M. F. Heymann, and D. Heymann, “Biology of Bone Sarcomas and New Therapeutic Developments,” *Calcif Tissue Int*, vol. 102, no. 2, pp. 174–195, Feb. 2018, doi: 10.1007/s00223-017-0372-2.
- [21] H. K. Brown, K. Schiavone, F. Gouin, M. F. Heymann, and D. Heymann, “Biology of Bone Sarcomas and New Therapeutic Developments,” *Calcif Tissue Int*, vol. 102, no. 2, pp. 174–195, Feb. 2018, doi: 10.1007/s00223-017-0372-2.
- [22] S. D. Berman *et al.*, “Metastatic osteosarcoma induced by inactivation of Rb and p53 in the osteoblast lineage,” 2008. [Online]. Available: www.pnas.org/cgi/content/full/
- [23] Y.-C. Chen, D. M. Sosnoski, and A. M. Mastro, “Breast cancer metastasis to the bone: mechanisms of bone loss R E V I E W,” 2010. [Online]. Available: <http://breast-cancer-research.com/content/12/6/215>
- [24] P. W. Mantyh, “Bone cancer pain: From mechanism to therapy,” *Curr Opin Support Palliat Care*, vol. 8, no. 2, pp. 83–90, Jun. 2014, doi: 10.1097/SPC.0000000000000048.
- [25] D. M. Jason L. Ferguson, “Bone Cancer: Diagnosis and Treatment Principles,” *Am Fam Physician*, vol. 98, no. 4, pp. 206–213, Aug. 2018, Accessed: Jun. 11, 2024. [Online]. Available: www.aafp.org/afp
- [26] A. Rajwanshi, R. Srinivas, and G. Upasana, “Malignant small round cell tumors,” *J Cytol*, vol. 26, no. 1, pp. 1–10, Jan. 2009, doi: 10.4103/0970-9371.54861.

- [27] A. Y. Giuffrida, J. E. Burgueno, L. G. Koniaris, J. C. Gutierrez, and R. Duncan, “Chondrosarcoma in the United States (1973 to 2003): An analysis of 2890 cases from the SEER database,” *Journal of Bone and Joint Surgery*, vol. 91, no. 5, pp. 1063–1072, May 2009, doi: 10.2106/JBJS.H.00416.
- [28] B. M. Chesnutt, A. M. Viano, Y. Yuan, Y. Yang, and T. Guda, “Design and characterization of a novel chitosan/nanocrystalline calcium phosphate composite scaffold for bone regeneration,” *J Biomed Mater Res A*, vol. 88, no. 2, pp. 491–502, Feb. 2009, doi: 10.1002/jbm.a.31878.
- [29] T. Agarwal, R. Narayan, S. Maji, and S. Behera, “Gelatin/Carboxymethyl chitosan based scaffolds for dermal tissue engineering applications,” *Int J Biol Macromol*, vol. 93, pp. 1499–1506, Dec. 2016, doi: 10.1016/j.ijbiomac.2016.04.028.
- [30] H. Park, B. Choi, J. Nguyen, J. Fan, and S. Shafi, “Anionic carbohydrate-containing chitosan scaffolds for bone regeneration,” *Carbohydr Polym*, vol. 97, no. 2, pp. 587–596, Sep. 2013, doi: 10.1016/j.carbpol.2013.05.023.
- [31] R. M. A. Wahab, M. N. Hagar, N. Atmaliya, S. hisham zainal Ariffin, and F. Yazid, “3D Titanium Scaffold Properties and Osteogenesis of Stem Cells,” *Sains Malays*, vol. 49, no. 4, pp. 809–816, Apr. 2020, doi: 10.17576/jsm-2020-4904-10.
- [32] G. P. H. Sanjaya and S. Maliawan, “Chitosan as Bone Scaffold for Craniofacial Bone Regeneration: A Systematic Review,” *Open Access Maced J Med Sci*, vol. 10, no. F, pp. 705–711, Oct. 2022, doi: 10.3889/oamjms.2022.10684.
- [33] A. Ovsianikov, A. Deiwick, S. Van Vlierberghe, M. Pflaum, and M. Wilhelmi, “Laser fabrication of 3D gelatin scaffolds for the generation of bioartificial tissues,” *Materials*, vol. 4, no. 1, pp. 288–299, Dec. 2010, doi: 10.3390/ma4010288.
- [34] S. D’Mello, S. Elangovan, L. Hong, R. D. Ross, and D. R. Sumner, “Incorporation of copper into chitosan scaffolds promotes bone regeneration in rat calvarial defects,” *J Biomed Mater Res B Appl Biomater*, vol. 103, no. 5, pp. 1044–1049, Jul. 2015, doi: 10.1002/jbm.b.33290.

- [35] M. Yazdimamaghani, D. Vashae, S. Assefa, K. J. Walker, and S. V. Madihally, “Hybrid macroporous gelatin/bioactive-glass/nanosilver scaffolds with controlled degradation behavior and antimicrobial activity for bone tissue engineering,” *J Biomed Nanotechnol*, vol. 10, no. 6, pp. 911–931, Jul. 2014, doi: 10.1166/jbn.2014.1783.
- [36] C. Sarma, P. Rasane, S. Kaur, J. Singh, and J. Singh, “Antioxidant and antimicrobial potential of selected varieties of piper betle L. (Betel leaf),” *An Acad Bras Cienc*, vol. 90, no. 4, pp. 3871–3878, Oct. 2018, doi: 10.1590/0001-3765201820180285.
- [37] Christer Dahlin, Anders Linde, Jan Gottlow, and Sture Nyman, “Healing of Bone Defects by Guided Tissue Regeneration,” *Plast Reconstr Surg*, vol. 81, no. 5, pp. 672–676, May 2018, doi: 10.1097/00006534-198805000-00004.
- [38] N. Abbasi, S. Hamlet, R. M. Love, and N. T. Nguyen, “Porous scaffolds for bone regeneration,” *Journal of Science: Advanced Materials and Devices*, vol. 5, no. 1, pp. 1–9, Mar. 2020, doi: 10.1016/j.jsamd.2020.01.007.
- [39] A. Dahlan, M. J. K. Kamadjaja, S. Y. Subagyo, and P. Talitha, “Evaluation of swelling ability of scaffold combination of chitosan and hydroxyapatite,” *Indonesian Journal of Prosthodontics*, vol. 3, no. 1, pp. 17–22, Jun. 2022, doi: 10.46934/ijp.v3i1.134.
- [40] S. K. L. Levengood and M. Zhang, “Chitosan-based scaffolds for bone tissue engineering,” *J Mater Chem B*, vol. 2, no. 21, pp. 3161–3184, Jun. 2014, doi: 10.1039/c4tb00027g.
- [41] Hasri, “Prospek Kitosan dan Kitosan Termodifikasi Sebagai Biopolimer Alami yang Menjanjikan,” *Jurnal Chemica*, vol. 11, no. 2, pp. 1–10, Dec. 2010, doi: <https://doi.org/10.35580/chemica.v11i2.490>.
- [42] P. T. Hardani, D. Perwito, and N. A. Mayzika, “Isolasi Kitin dan Kitosan dari Berbagai Sumber Bahan Alam,” *Seminar Nasional Hasil Riset dan Pengabdian*, vol. 21, no. 3, pp. 469–475, Feb. 2021, doi: 10.21111/PHARMASIPHA.V4I1.4963.
- [43] B. Dhandayuthapani, U. M. Krishnan, and S. Sethuraman, “Fabrication and characterization of chitosan-gelatin blend nanofibers for skin tissue

- engineering,” *J Biomed Mater Res B Appl Biomater*, vol. 948, no. 1, pp. 264–272, Jul. 2010, doi: 10.1002/jbm.b.31651.
- [44] A. Soriente, I. Fasolino, A. Gomez-Sánchez, E. Prokhorov, and G. G. Buonocore, “Chitosan/hydroxyapatite nanocomposite scaffolds to modulate osteogenic and inflammatory response,” *J Biomed Mater Res A*, vol. 110, no. 2, pp. 266–272, Feb. 2022, doi: 10.1002/jbm.a.37283.
- [45] Yessy Warastuti and Nani Suryani, “Karakteristik Degradasi dari Biomaterial Poli-(kaprolakton-kitosan-hidroksiapatit) Iradiasi Dalam Larutan Simulated Body Fluid Degradation Characteristics of Irradiated Poly-(caprolactone-chitosan-hydroxyapatite) Biomaterial in Simulated Body Fluid Solution,” *A Scientific Journal for The Applications of Isotopes and Radiation*, vol. 9, no. 1, pp. 11–22, May 2013.
- [46] B. Seta, F. Rumata, and B. B. Silaban, “Karakteristik Kitosan Dari Kulit Udang Vaname Dengan Menggunakan Suhu dan Waktu Yang Berbeda Dalam Proses Deasetilasi,” *J Pengolah Has Perikan Indones*, vol. 22, no. 3, pp. 498–507, Dec. 2019, doi: 10.1177/154405910308201111.
- [47] Z. Y. Chen, S. Gao, Y. W. Zhang, R. B. Zhou, and F. Zhou, “Antibacterial biomaterials in bone tissue engineering,” *J Mater Chem B*, vol. 9, no. 11, pp. 2594–2612, Mar. 2021, doi: 10.1039/d0tb02983a.
- [48] T. Zhang, J. Xu, Y. Zhang, X. Wang, and J. M. Lorenzo, “Gelatin as emulsifiers for oil-in-water emulsions: Extraction, chemical composition, molecular structure, and molecular modification,” *Trends Food Sci Technol*, vol. 106, no. 1, pp. 113–131, Dec. 2020, doi: 10.1016/j.tifs.2020.10.005.
- [49] S. Chen, Q. Zhang, T. Nakamoto, N. Kawazoe, and G. Chen, “Gelatin scaffolds with controlled pore structure and mechanical property for cartilage tissue engineering,” *Tissue Eng Part C Methods*, vol. 22, no. 3, pp. 189–198, Mar. 2016, doi: 10.1089/ten.tec.2015.0281.
- [50] E. F. Palumpun, A. A. G. P. Wiraguna, and W. Pangkahila, “Pemberian ekstrak daun sirih (*Piper betle*) secara topikal meningkatkan ketebalan epidermis, jumlah fibroblas, dan jumlah kolagen dalam proses penyembuhan luka pada tikus jantan galur Wistar (*Rattus norvegicus*),” *Jurnal e-Biomedik*

- (*eBm*), vol. 5, no. 1, pp. 1–7, Jun. 2017, doi: <https://doi.org/10.35790/ebm.v5i1.15037>.
- [51] L. Yuliana, “Studi Morfologi Genus Piper dan Variasinya,” *Biocaster: Jurnal Kajian Biologi*, vol. 3, no. 1, pp. 11–19, Jan. 2023, doi: [10.36312/bjkb.v3i1.155](https://doi.org/10.36312/bjkb.v3i1.155).
- [52] N. Diniyah and S.-H. Lee, “Komposisi Senyawa Fenol dan Potensi Antioksidan dari Kacang-Kacangan: Review Phenolic Composition and Antioxidant Potential of Legumes-A Review,” *Jurnal Agroteknologi*, vol. 14, no. 1, pp. 91–102, Jan. 2020, doi: [10.3390/ma8095273](https://doi.org/10.3390/ma8095273).
- [53] H. H. Sadiyah, A. I. Cahyadi, and S. Windria, “Kajian Daun Sirih Hijau (*Piper betle* L) Sebagai Antibakteri,” *Jurnal Sain Veteriner*, vol. 40, no. 2, p. 128, Aug. 2022, doi: [10.22146/jsv.58745](https://doi.org/10.22146/jsv.58745).
- [54] M. Spiegel, T. Andruniów, and Z. Sroka, “Flavones’ and flavonols’ antiradical structure– activity relationship—a quantum chemical study,” *Antioxidants*, vol. 9, no. 6, pp. 1–22, Jun. 2020, doi: [10.3390/antiox9060461](https://doi.org/10.3390/antiox9060461).
- [55] A. Ciurzyńska and A. Lenart, “Freeze-drying - application in food processing and biotechnology - a review,” *Pol J Food Nutr Sci*, vol. 61, no. 3, pp. 165–171, Oct. 2011, doi: [10.2478/v10222-011-0017-5](https://doi.org/10.2478/v10222-011-0017-5).
- [56] C. M. Brougham, T. J. Levingstone, N. Shen, G. M. Cooney, and S. Jockenhoevel, “Freeze-Drying as a Novel Biofabrication Method for Achieving a Controlled Microarchitecture within Large, Complex Natural Biomaterial Scaffolds,” *Adv Healthc Mater*, vol. 6, no. 21, pp. 1–15, Nov. 2017, doi: [10.1002/adhm.201700598](https://doi.org/10.1002/adhm.201700598).
- [57] N. Abbasi, S. Hamlet, R. M. Love, and N. T. Nguyen, “Porous scaffolds for bone regeneration,” *Journal of Science: Advanced Materials and Devices*, vol. 5, no. 1, pp. 1–9, Mar. 2020, doi: [10.1016/j.jsamd.2020.01.007](https://doi.org/10.1016/j.jsamd.2020.01.007).
- [58] I. R. Serra, R. Fradique, M. C. S. Vallejo, T. R. Correia, S. P. Miguel, and I. J. Correia, “Production and characterization of chitosan/gelatin/ β -TCP scaffolds for improved bone tissue regeneration,” *Materials Science and Engineering C*, vol. 55, no. 1, pp. 592–604, Jun. 2015, doi: [10.1016/j.msec.2015.05.072](https://doi.org/10.1016/j.msec.2015.05.072).

- [59] R. Teixeira-Santos, M. Lima, L. C. Gomes, and F. J. Mergulhã, “Antimicrobial coatings based on chitosan to prevent implant-associated infections: A systematic review,” *iScience CelPress*, vol. 6, no. 24, pp. 1–23, Dec. 2021, doi: 10.1016/j.isci.
- [60] A. H. Omid, H. Sabati, S. Amini, M. A. Zonobian, and M. R. Mohammadi, “Staphylococcus aureus in the environment of healthcare centers,” *Cellular, Molecular and Biomedical Reports*, vol. 1, no. 4, pp. 147–157, Aug. 2021, doi: 10.55705/cmbr.2021.403541.1156.
- [61] S. I. Grivennikov and M. Karin, “Inflammatory cytokines in cancer: Tumour necrosis factor and interleukin 6 take the stage,” *Ann Rheum Dis*, vol. 70, no. 1, pp. 104–108, Nov. 2011, doi: 10.1136/ard.2010.140145.
- [62] L. W. Riley, “Distinguishing Pathovars from Nonpathovars: Escherichia coli,” *Microbiol Spectr*, vol. 8, no. 4, pp. 1–23, Dec. 2020, doi: 10.1128/microbiolspec.ame-0014-2020.
- [63] N. Rahmawati, E. Sudjarwo, and E. Widodo, “Uji aktivitas antibakteri ekstrak herbal terhadap bakteri Escherichia coli,” *Jurnal Ilmu-Ilmu Peternakan*, vol. 24, no. 3, pp. 24–31, Dec. 2014, [Online]. Available: <http://jiip.ub.ac.id/>
- [64] A. Parolia, M. Porto, and M. Mohan, “Role of Cytokines, Endotoxins (LPS), and Lipoteichoic Acid (LTA) in Endodontic Infection,” *Symbiosis*, vol. 1, no. 4, pp. 1–5, Dec. 2014, doi: 10.15226/jdodt.2014.00132.
- [65] Rodiah Rahmawaty Lubis, Marlisa, and Dian Dwi Wahyuni, “Antibacterial activity of betle leaf (Piper betle l.) extract on inhibiting Staphylococcus aureus in conjunctivitis patient,” *Am J Clin Exp Immunol*, vol. 9, no. 1, pp. 1–5, Feb. 2020.
- [66] M. K. Heljak, W. Swieszkowski, and K. J. Kurzydowski, “Modeling of the degradation kinetics of biodegradable scaffolds: The effects of the environmental conditions,” *J Appl Polym Sci*, vol. 131, no. 11, pp. 1–7, Jun. 2014, doi: 10.1002/app.40280.
- [67] C. X. F. Lam, D. W. Hutmacher, J. T. Schantz, M. A. Woodruff, and S. H. Teoh, “Evaluation of polycaprolactone scaffold degradation for 6 months in vitro and in vivo.,” *J Biomed Mater Res A*, vol. 90, no. 3, pp. 906–919, Feb. 2009, doi: 10.1002/jbm.a.32052.

- [68] M. Dachyar Effendi and N. Suhendar, "Pengaruh Rasio Ha/TCP terhadap Karakteristik Komposit BCP-Gelatin-CMC sebagai Bahan Injectable Bone Substitute," *Jurnal Inovasi dan Teknologi Material*, vol. 1, no. 2, pp. 15–20, Dec. 2019, doi: 10.29122/jitm.v1i2.3837.
- [69] Masoud Parirokh, Shahla Mansouri, and Sara Askarifard, "Effect of phosphate buffer saline on coronal leakage of mineral trioxide aggregate," *J Oral Sci*, vol. 51, no. 2, pp. 187–191, Feb. 2009, doi: 10.2334/JOSNUSD.51.187.
- [70] M. Lichtenauer *et al.*, "Phosphate buffered saline containing calcium and magnesium elicits increased secretion of interleukin-1 receptor antagonist," *Lab Med*, vol. 40, no. 5, pp. 290–293, May 2009, doi: 10.1309/LMBMG5A7NOVQBXWD.
- [71] K. Wegrzynowska-Drzymalska, P. Grebicka, D. T. Mlynarczyk, D. Chelminiak-Dudkiewicz, and H. Kaczmarek, "Crosslinking of chitosan with dialdehyde chitosan as a new approach for biomedical applications," *Materials*, vol. 13, no. 15, pp. 1–27, Aug. 2020, doi: 10.3390/ma13153413.
- [72] K. M. Faehelebom, A. Saleh, M. M. A. Al-Tabakha, and A. A. Ashames, "Recent applications of quantitative analytical FTIR spectroscopy in pharmaceutical, biomedical, and clinical fields: A brief review," *Rev Anal Chem*, vol. 41, no. 1, pp. 21–33, Jan. 2022, doi: 10.1515/revac-2022-0030.
- [73] N. Meilia, "Penetapan Kadar Asam Mefenamat Dalam Tablet Dengan Metode Spektroskopi Ftir (Fourier Transform Infrared) Kombinasi Kemometrik," UMP, Purwokerto, 2019.
- [74] A. Setiabudi, R. Hardian, and A. Mudzakir, *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*, 1st ed. Bandung: UPI PRESS, 2012. doi: 10.22146/ijl.v1i1.78970.
- [75] S. Balasubramanian, R. Sharma, R. K. Gupta, and R. T. Patil, "Validation of drying models and rehydration characteristics of betel (*Piper betel* L.) leaves," *J Food Sci Technol*, vol. 48, no. 6, pp. 685–691, Dec. 2011, doi: 10.1007/s13197-010-0188-9.
- [76] L. Anggraita Mustika, E. Susanti, and R. Indriatie, "Pengaruh Waktu Maserasi Daun Sirih Merah menggunakan Etanol 90% terhadap Karakteristik

- Kimiawi dan Aktivitas Antioksidannya,” *Live and Applied Science*, vol. 1, no. 2, pp. 72–79, Sep. 2022, doi: 10.24843/itepa.2019.v08.i03.p06.
- [77] L. Nurdianti, I. Kushernawati, M. Fathurohman, F. Setiawan, and T. Hidayat, “Aktivitas Antibakteri Gel Transdermal Ekstrak Daun Sirih Hijau (*Piper Betle* L.) Terhadap Bakteri *Staphylococcus Epidermis*,” *Journal of Pharmacopolium*, vol. 5, no. 1, pp. 96–104, Apr. 2022, doi: <https://doi.org/10.36465/jop.v5i1.889>.
- [78] A. Saputra, S. Andayani, and H. Nursyam, “Total Quantity of Phenol and Isolation Methanol Tannin Extract of Red Betel Leaf (*Piper crocatum*),” *Int J Pharmtech Res*, vol. 9, no. 7, pp. 146–153, Sep. 2016.
- [79] D. Mammen and M. Daniel, “A critical evaluation on the reliability of two aluminum chloride chelation methods for quantification of flavonoids,” *Food Chem*, vol. 135, no. 3, pp. 1365–1368, Dec. 2012, doi: 10.1016/j.foodchem.2012.05.109.
- [80] D. Kumar, S. Manik, P. Arnulf, and M. Editors, “Progress in Optical Science and Photonics Modern Techniques of Spectroscopy Basics, Instrumentation, and Applications,” *Springer*, vol. 13, no. 6, pp. 1–660, Aug. 2021, doi: 10.1007/978-981-33-6084-6_1.
- [81] Disca Sandykala Purnama, “Efek Penambahan Poly(Vinyl Pyrrolidone) (PVP) Pada Variasi Konsentrasi Ca^{2+} dan PO_4^{3-} Dalam Komposit Selulosa Mikrobial-Hidroksiapatit Sebagai Scaffolds Untuk Bone Healing,” Universitas Airlangga, Surabaya, 2016. Accessed: Jan. 28, 2025. [Online]. Available: <http://repository.unair.ac.id/id/eprint/30092>
- [82] F. Nurlidar, L. Hardiningsih, and D. Darwis, “Sintesis dan Karakterisasi Selulosa Bakteri-Sitratkitosan Sebagai Pembalut Luka Antimikroba,” *Jurnal Kimia Terapan Indonesia*, vol. 15, no. 2, pp. 56–64, Dec. 2013, doi: 10.14203/jkti.v15i2.164.
- [83] M. Aprilisna, B. Sunendar, and H. Budi Widodo, “Karakteristik dan Aktivitas Antibakteri Scaffold Membran Cangkang Telur yang Diaktivasi Karbonat Apatit”.
- [84] P. Handrianto, “Uji Antibakteri Ekstrak Jahe Merah *Zingiber officinale* var. *Rubrum* Terhadap *Staphylococcus aureus* dan *Escherichia coli*,” *Journal of*

- Research and Technology*, vol. 2, no. 1, pp. 1–4, Jun. 2016, doi: UjAntibakteriEkestrakJaheMerahZingiberofficinalevar.RubrumTerhadapStaphylococcus aureus dan Escherichia coli.
- [85] E. S. Savitri, K. Holil, R. S. Resmisari, U. Syarifah, and S. Munawaroh, “Effect of extraction solvent on total phenol, total flavonoid content and antioxidant activities of extract plants *Punica granatum*, *Vitis vinifera* L, *Ficus carica* L. and *Olea europea*,” *AIP Conf Proc*, vol. 2120, no. 1, pp. 1–7, Jul. 2019, doi: 10.1063/1.5115638.
- [86] M. Biesaga and K. Pyrzyńska, “Stability of bioactive polyphenols from honey during different extraction methods,” *Food Chem*, vol. 136, no. 1, pp. 46–54, Jan. 2013, doi: 10.1016/j.foodchem.2012.07.095.
- [87] H. H. Al Mamari, “Phenolic Compounds: Classification, Chemistry, and Updated Techniques of Analysis and Synthesis,” *IntechOpen*, vol. 1, no. 1, pp. 1–22, Apr. 2024, doi: <http://dx.doi.org/10.5772/intechopen.98958>.
- [88] J. M. Al-Khayri, G. R. Sahana, P. Nagella, B. V. Joseph, and F. M. Alessa, “Flavonoids as Potential Anti-Inflammatory Molecules: A Review,” *Molecules*, vol. 27, no. 9, pp. 1–24, May 2022, doi: 10.3390/molecules27092901.
- [89] M. S. Do Socorro Chagas, M. D. Behrens, and C. J. Moragas-Tellis, “Flavonols and Flavones as Potential anti-Inflammatory, Antioxidant, and Antibacterial Compounds,” *Oxid Med Cell Longev*, vol. 2022, no. 1, pp. 1–21, Sep. 2022, doi: 10.1155/2022/9966750.
- [90] I. Y. Kim, S. J. Seo, H. S. Moon, M. K. Yoo, and I. Y. Park, “Chitosan and its derivatives for tissue engineering applications,” *Biotechnol Adv*, vol. 26, no. 1, pp. 1–21, Jan. 2008, doi: 10.1016/j.biotechadv.2007.07.009.
- [91] F. Ghorbani, M. Pourhaghgouy, T. Mohammadi-Hafsheh-jani, and A. Zamanian, “Effect of Silane-Coupling Modification on the Performance of chitosan-poly vinyl Alcohol-Hybrid Scaffolds in Bone Tissue Engineering,” *Karlsruher Institut Fur Technologie*, vol. 12, no. 12, pp. 3015–3026, Dec. 2020, doi: 10.554/IR/1000126224.

- [92] A. Ali, X. Y. Lim, and P. F. Wahida, “The fundamental study of antimicrobial activity of Piper betle extract in commercial toothpastes,” *J Herb Med*, vol. 14, no. 1, pp. 1–18, Aug. 2018, doi: 10.1016/j.hermed.2018.08.001.
- [93] S. Boontha, J. Taowkaen, T. Phakwan, T. Worauaichai, and P. Kamonnate, “Evaluation of antioxidant and anticancer effects of Piper betle L (Piperaceae) leaf extract on MCF-7 cells, and preparation of transdermal patches of the extract,” *Tropical Journal of Pharmaceutical Research*, vol. 18, no. 6, pp. 1265–1272, May 2021, doi: 10.4314/TJPR.V18I6.17.
- [94] M. Tagrida, K. Nilsuwan, S. Gulzar, T. Prodpran, and S. Benjakul, “Fish gelatin/chitosan blend films incorporated with betel (Piper betle L.) leaf ethanolic extracts: Characteristics, antioxidant and antimicrobial properties,” *Food Hydrocoll*, vol. 137, no. 1, pp. 1–12, Apr. 2023, doi: 10.1016/j.foodhyd.2022.108316.
- [95] G. Kaur, H. Kaur, S. Kumar, V. Verma, and H. S. Jhinjer, “Blooming Approach: One-Pot Biogenic Synthesis of TiO₂ Nanoparticles Using Piper Betle for the Degradation of Industrial Reactive Yellow 86 Dye,” *J Inorg Organomet Polym Mater*, vol. 31, no. 3, pp. 1111–1119, Mar. 2021, doi: 10.1007/s10904-020-01797-y.
- [96] I. R. Serra, R. Fradique, M. C. S. Vallejo, T. R. Correia, S. P. Miguel, and I. J. Correia, “Production and characterization of chitosan/gelatin/ β -TCP scaffolds for improved bone tissue regeneration,” *Materials Science and Engineering C*, vol. 55, pp. 592–604, Jun. 2015, doi: 10.1016/j.msec.2015.05.072.
- [97] B. Dhandayuthapani, U. M. Krishnan, and S. Sethuraman, “Fabrication and characterization of chitosan-gelatin blend nanofibers for skin tissue engineering,” *J Biomed Mater Res B Appl Biomater*, vol. 94, no. 1, pp. 264–272, Jul. 2010, doi: 10.1002/jbm.b.31651.
- [98] G. Kaur, H. Kaur, S. Kumar, V. Verma, and H. Jhinjer, “Blooming Approach: One-Pot Biogenic Synthesis of TiO₂ Nanoparticles Using Piper Betle for the Degradation of Industrial Reactive Yellow 86 Dye,” *J Inorg Organomet Polym Mater*, vol. 31, no. 3, pp. 1111–1119, Mar. 2021, doi: 10.1007/s10904-020-01797-y.

- [99] K. Shi, Q. Ma, T. Su, and Z. Wang, "Preparation of porous materials by selective enzymatic degradation: effect of in vitro degradation and in vivo compatibility," *Sci Rep*, vol. 10, no. 1, pp. 1–9, Dec. 2020, doi: 10.1038/s41598-020-63892-x.
- [100] G. J. Martínez-Díaz, D. Nelson, W. C. Crone, and W. J. Kao, "Mechanical and Chemical Analysis of Gelatin-Based Hydrogel Degradation," *Macromol Chem Phys*, vol. 204, no. 15, pp. 1898–1908, Oct. 2003, doi: 10.1002/macp.200350042.
- [101] M. Santoro, A. M. Tatara, and A. G. Mikos, "Gelatin carriers for drug and cell delivery in tissue engineering," *Journal of Controlled Release*, vol. 190, no. 1, pp. 210–218, Sep. 2014, doi: 10.1016/j.jconrel.2014.04.014.
- [102] J. Huang, X. Xia, Q. Zou, J. Ma, and S. Jin, "The long-term behaviors and differences in bone reconstruction of three polymer-based scaffolds with different degradability," *J Mater Chem B*, vol. 7, no. 48, pp. 7690–7703, Nov. 2019, doi: 10.1039/c9tb02072a.
- [103] Z. Sheikh, S. Najeeb, Z. Khurshid, V. Verma, H. Rashid, and M. Glogauer, "Biodegradable materials for bone repair and tissue engineering applications," *Materials*, vol. 8, no. 9, pp. 5744–5794, Aug. 2015, doi: 10.3390/ma8095273.
- [104] T. Ikeda, K. Ikeda, and K. Yamamoto, "Fabrication and characteristics of chitosan sponge as a tissue engineering scaffold," *Biomed Res Int*, vol. 2014, no. 1, pp. 1–8, Apr. 2014, doi: 10.1155/2014/786892.
- [105] K. Maji, S. Dasgupta, K. Pramanik, and A. Bissoyi, "Preparation and Evaluation of Gelatin-Chitosan-Nanobioglass 3D Porous Scaffold for Bone Tissue Engineering," *Int J Biomater*, vol. 2016, pp. 1–13, Oct. 2016, doi: 10.1155/2016/9825659.
- [106] B. Zhang, J. D. Skelly, J. R. Maalouf, D. C. Ayers, and J. Song, "Multifunctional scaffolds for facile implantation, spontaneous fixation, and accelerated long bone regeneration in rodents," *Sci Transl Med*, vol. 11, pp. 1–13, Jul. 2019, doi: 10.1126/scitranslmed.aau7411.
- [107] R. Trindade, T. Albrektsson, P. Tengvall, and A. Wennerberg, "Foreign Body Reaction to Biomaterials: On Mechanisms for Buildup and Breakdown of

Osseointegration,” *Clin Implant Dent Relat Res*, vol. 18, no. 1, pp. 192–203, Feb. 2016, doi: 10.1111/cid.12274.

- [108] H. Simanjuntak, S. Maimunah, and T. S. Situmorang, “Diameter Zona Hambat Antibiotik Amoxicillin dan Tetracycline terhadap *Escherichia coli*,” *Herbal Medicine Journal*, vol. 5, no. 2, pp. 19–24, Aug. 2022, doi: 10.58996/hmj.v5i2.52.
- [109] C. Yudha Karlina and M. Ibrahim, “Aktivitas Antibakteri Ekstrak Herba Krokot (*Portulaca oleracea* L.) terhadap *Staphylococcus aureus* dan *Escherichia coli*,” *LenteraBio*, vol. 2, no. 1, pp. 87–93, Jan. 2013, doi: 10.30595/pharmacy.v18i1.8681.