

## REFERENCES

- [1] Z. Yu, "Improved implicit diffusion model with knowledge distillation to estimate the spatial distribution density of carbon stock in remote sensing imagery," Nov. 2024, [Online]. Available: <http://arxiv.org/abs/2411.17973>
- [2] L. Zhang, Y. Cai, H. Huang, A. Li, L. Yang, and C. Zhou, "A CNN-LSTM Model for Soil Organic Carbon Content Prediction with Long Time Series of MODIS-Based Phenological Variables," *Remote Sens (Basel)*, vol. 14, no. 18, p. 4441, Sep. 2022, doi: 10.3390/rs14184441.
- [3] L. J. R. Nunes, C. I. R. Meireles, C. J. Pinto Gomes, and N. M. C. Almeida Ribeiro, "Forest Contribution to Climate Change Mitigation: Management Oriented to Carbon Capture and Storage," *Climate*, vol. 8, no. 2, p. 21, Jan. 2020, doi: 10.3390/cli8020021.
- [4] G. Reiersen *et al.*, "Reforestree: A Dataset for Estimating Tropical Forest Carbon Stock with Deep Learning and Aerial Imagery," Jan. 2022, [Online]. Available: <http://arxiv.org/abs/2201.11192>
- [5] Y. Ye, M. Wang, L. Zhou, G. Lei, J. Fan, and Y. Qin, "Adjacent-Level Feature Cross-Fusion With 3-D CNN for Remote Sensing Image Change Detection," Feb. 2023, doi: 10.1109/TGRS.2023.3305499.
- [6] B. Pan *et al.*, "A CNN-LSTM Machine-Learning Method for Estimating Particulate Organic Carbon from Remote Sensing in Lakes," *Sustainability*, vol. 15, no. 17, p. 13043, Aug. 2023, doi: 10.3390/su151713043.
- [7] AR. Arunarani, S. Selvanayaki, M. Saleh Al Ansari, Md. A. Ala Walid, N. Devireddy, and M. M. Keerthi, "Crop Yield Prediction Using Spatio Temporal CNN and Multimodal Remote Sensing," in *2023 2nd International Conference on Edge Computing and Applications (ICECAA)*, IEEE, Jul. 2023, pp. 1042–1048, doi: 10.1109/ICECAA58104.2023.10212267.
- [8] S. Illarionova *et al.*, "A Survey of Computer Vision Techniques for Forest Characterization and Carbon Monitoring Tasks," Nov. 01, 2022, *MDPI*. doi: 10.3390/rs14225861.
- [9] R. Su, W. Du, Y. Shan, H. Ying, W. Rihan, and R. Li, "Aboveground Carbon Stock Estimation Based on Backpack LiDAR and UAV Multispectral Imagery at the Forest Sample Plot Scale," *Remote Sens (Basel)*, vol. 16, no. 21, p. 3927, Oct. 2024, doi: 10.3390/rs16213927.
- [10] I. Rahmatika, I. N. Hidayati, R. Suharyadi, and E. Nurjani, "Carbon Stock Estimation From Vegetation Biomass Using Spot-7 Imagery," *Indonesian Journal of Geography*, vol. 55, no. 3, pp. 385–396, 2023, doi: 10.22146/ijg.78690.
- [11] S. F. Tóth, K. L. Oken, C. C. Stawitz, and H.-E. Andersen, "Optimal Survey Design for Forest Carbon Monitoring in Remote Regions Using Multi-Objective Mathematical Programming," *Forests*, vol. 13, no. 7, p. 972, Jun. 2022, doi: 10.3390/f13070972.
- [12] Adedolapo Olujuwon Adegbite, Ibrahim Barrie, Saheed Femi Osholake, Tunde Alesinloye, and Anuoluwapo Blessing Bello, "Artificial Intelligence in Climate Change Mitigation: A Review of Predictive Modeling and Data-Driven Solutions for Reducing Greenhouse Gas Emissions," *World Journal of Advanced Research and Reviews*, vol. 24, no. 1, pp. 408–414, Oct. 2024, doi: 10.30574/wjarr.2024.24.1.3043.
- [13] A. A. Dar and N. Parthasarathy, "Patterns and drivers of tree carbon stocks in Kashmir Himalayan forests: implications for climate change mitigation," *Ecol Process*, vol. 11, no. 1, p. 58, Sep. 2022, doi: 10.1186/s13717-022-00402-z.
- [14] C.-H. Lee, K.-Y. Chen, and L. D. Liu, "Effect of Texture Feature Distribution on Agriculture Field Type Classification with Multitemporal UAV RGB Images," *Remote Sens (Basel)*, vol. 16, no. 7, p. 1221, Mar. 2024, doi: 10.3390/rs16071221.
- [15] K. Yang, H. Zhang, F. Wang, and R. Lai, "Extraction of Broad-Leaved Tree Crown Based on UAV Visible Images and OBIA-RF Model: A Case Study for Chinese Olive Trees," *Remote Sens (Basel)*, vol. 14, no. 10, p. 2469, May 2022, doi: 10.3390/rs14102469.
- [16] K. C. L. Wong, L. Klein, A. F. da Silva, H. Wang, J. Singh, and T. Syeda-Mahmood, "Image-Based Soil Organic Carbon Remote Sensing from Satellite Images with Fourier Neural Operator and Structural Similarity," Nov. 2023, doi: 10.1109/IGARSS52108.2023.10281551.
- [17] Y. Zhao, Y. Ma, L. J. Quackenbush, and Z. Zhen, "Estimation of Individual Tree Biomass in Natural Secondary Forests Based on ALS Data and WorldView-3 Imagery," *Remote Sens (Basel)*, vol. 14, no. 2, p. 271, Jan. 2022, doi: 10.3390/rs14020271.
- [18] M. O. Duman and M. E. Taçluk, "Assessment of an Optimal Multilayer Perceptron Model in Estimation of Stock's Price Rates; a Sample from the Turkish Stock Exchange BIST," in *2024 8th International Artificial Intelligence and Data Processing Symposium (IDAP)*, IEEE, Sep. 2024, pp. 1–5. doi: 10.1109/IDAP64064.2024.10710792.

- [19] F. Ecer, S. Ardabili, S. S. Band, and A. Mosavi, "Training Multilayer Perceptron with Genetic Algorithms and Particle Swarm Optimization for Modeling Stock Price Index Prediction," *Entropy*, vol. 22, no. 11, p. 1239, Oct. 2020, doi: 10.3390/e22111239.
- [20] B. Yuan, S. S. Sehra, and B. Chiu, "Multi-Scale and Multi-Network Deep Feature Fusion for Discriminative Scene Classification of High-Resolution Remote Sensing Images," *Remote Sens (Basel)*, vol. 16, no. 21, p. 3961, Oct. 2024, doi: 10.3390/rs16213961.
- [21] D. Datta, M. Paul, M. Murshed, S. W. Teng, and L. M. Schmidtke, "Unveiling Soil-Vegetation Interactions: Reflection Relationships and an Attention-Based Deep Learning Approach for Carbon Estimation," in *2024 IEEE International Conference on Multimedia and Expo Workshops (ICMEW)*, IEEE, Jul. 2024, pp. 1–6, doi: 10.1109/ICMEW63481.2024.10645460.
- [22] L. Wang, J. Gao, and X. Geng, "A Modified Homotopy-Based Tensor Eigenpairs Algorithm for Remote Sensing Feature Extraction," *IEEE Geoscience and Remote Sensing Letters*, vol. 19, pp. 1–5, 2022, doi: 10.1109/LGRS.2021.3089153.
- [23] R. Du, G. Wang, N. Zhang, L. Chen, and W. Liu, "Domain Adaptive Remote Sensing Scene Classification With Middle-Layer Feature Extraction and Nuclear Norm Maximization," *IEEE J Sel Top Appl Earth Obs Remote Sens*, vol. 17, pp. 2448–2460, 2024, doi: 10.1109/JSTARS.2023.3339336.
- [24] "Pengukuran dan penghitungan cadangan karbon-Pengukuran lapangan untuk penaksiran cadangan karbon berbasis lahan (land-based carbon accounting)," 2019. [Online]. Available: [www.bsn.go.id](http://www.bsn.go.id)
- [25] "Strategi Nasional REDD+," 2010.
- [26] Varsha M., Poornima B., and P. Kumar, "A Machine Learning Technique for Rice Blast Disease Severity Prediction Using K-Means SMOTE Class Balancing," *Int J Risk Conting Manag*, vol. 11, no. 1, pp. 1–27, Dec. 2022, doi: 10.4018/IJRCM.315304.
- [27] G. R. Patra, S. P. Iyer, S. Satyaprakash, and M. N. Mohanty, "A Class Balancing Based Machine Learning Approach for Fraudulent Credit Card Transaction Detection," in *2023 1st International Conference on Circuits, Power and Intelligent Systems (CCPIS)*, IEEE, Sep. 2023, pp. 1–6, doi: 10.1109/CCPIS59145.2023.10291883.
- [28] Z. Wu *et al.*, "Urban carbon stock estimation based on deep learning and UAV remote sensing: a case study in Southern China," *All Earth*, vol. 35, no. 1, pp. 272–286, Dec. 2023, doi: 10.1080/27669645.2023.2249645.
- [29] B. Wang, Y. Chen, Z. Yan, and W. Liu, "Integrating Remote Sensing Data and CNN-LSTM-Attention Techniques for Improved Forest Stock Volume Estimation: A Comprehensive Analysis of Baishanzu Forest Park, China," *Remote Sens (Basel)*, vol. 16, no. 2, p. 324, Jan. 2024, doi: 10.3390/rs16020324.
- [30] Christopher, A. A. S. Gunawan, I. S. Edbert, F. S. Pramudya, and A. N. Rakhiemah, "Web-based mangrove distribution and carbon stock monitoring system in Papua using CNN on satellite imagery," *Procedia Comput Sci*, vol. 245, pp. 637–646, 2024, doi: 10.1016/j.procs.2024.10.290.
- [31] H. Mosaid *et al.*, "Improved soil carbon stock spatial prediction in a Mediterranean soil erosion site through robust machine learning techniques," *Environ Monit Assess*, vol. 196, no. 2, p. 130, Feb. 2024, doi: 10.1007/s10661-024-12294-x.
- [32] H. HENRI, A. M. FARHABY, O. SUPRATMAN, W. ADI, and S. FEBRIANTO, "Assessment of species diversity, biomass and carbon stock of mangrove forests on Belitung Island, Indonesia," *Biodiversitas*, vol. 25, no. 1, Feb. 2024, doi: 10.13057/biodiv/d250103.
- [33] I. P. SUGIANA, T. PRARTONO, R. RASTINA, and A. F. KOROPITAN, "Ecosystem carbon stock and annual sequestration rate from three genera-dominated mangrove zones in Benoa Bay, Bali, Indonesia," *Biodiversitas*, vol. 25, no. 1, Feb. 2024, doi: 10.13057/biodiv/d250133.
- [34] J. Tang and J. Li, "Carbon risk and return prediction: Evidence from the multi-CNN method," *Front Environ Sci*, vol. 10, Oct. 2022, doi: 10.3389/fenvs.2022.1035809.
- [35] J. Asian, N. D. Arianti, A. Ariefin, and M. Muslih, "Comparison of feature extraction and auto-preprocessing for chili pepper (*Capsicum Frutescens*) quality classification using machine learning," *IAES International Journal of Artificial Intelligence (IJ-AI)*, vol. 13, no. 1, p. 319, Mar. 2024, doi: 10.11591/ijai.v13.i1.pp319-328.
- [36] K. Jung, D.-H. Bae, M.-J. Um, S. Kim, S. Jeon, and D. Park, "Evaluation of Nitrate Load Estimations Using Neural Networks and Canonical Correlation Analysis with K-Fold Cross-Validation," *Sustainability*, vol. 12, no. 1, p. 400, Jan. 2020, doi: 10.3390/su12010400.
- [37] B. Kumar, K. Manisha, A. Sinha, A. Kumar, and J. Kumar, "Deep Learning Based Image Classification for Automated Face Spoofing Detection Using Machine Learning: Convolutional Neural Network," in *2024 2nd World Conference on Communication & Computing (WCONF)*, IEEE, Jul. 2024, pp. 1–8, doi: 10.1109/WCONF61366.2024.10692150.

- [38] S. A. Mosa, Istomo, and A. P. P. Hartoyo, “Estimation of vegetation density using NDVI and carbon stock in the Utilization Zone of Gunung Halimun Salak National Park,” *IOP Conf Ser Earth Environ Sci*, vol. 1315, no. 1, p. 012041, Mar. 2024, doi: 10.1088/1755-1315/1315/1/012041.
- [39] F. Zhang, Z. Hu, K. Yang, Y. Fu, Z. Feng, and M. Bai, “The Surface Crack Extraction Method Based on Machine Learning of Image and Quantitative Feature Information Acquisition Method,” *Remote Sens (Basel)*, vol. 13, no. 8, p. 1534, Apr. 2021, doi: 10.3390/rs13081534.
- [40] M. E. Sahin, “Image processing and machine learning-based bone fracture detection and classification using X-ray images,” *Int J Imaging Syst Technol*, vol. 33, no. 3, pp. 853–865, May 2023, doi: 10.1002/ima.22849.
- [41] P. P. Monfared and S. M. Jarchi, “CNN-NLP Based Persian Feedback Detection of Stock Symbols in the Stock Market,” in *2024 10th International Conference on Artificial Intelligence and Robotics (QICAR)*, IEEE, Feb. 2024, pp. 125–130. doi: 10.1109/QICAR61538.2024.10496608.
- [42] H. İ. Tuncer and D. Altinel, “Classification of Eye Diseases using Machine Learning with Preprocessing,” in *2024 8th International Artificial Intelligence and Data Processing Symposium (IDAP)*, IEEE, Sep. 2024, pp. 1–7. doi: 10.1109/IDAP64064.2024.10710977.
- [43] X. Zong, “MLP, CNN, LSTM and Hybrid SVM for Stock Index Forecasting Task to INDU and FTSE100,” *SSRN Electronic Journal*, 2020, doi: 10.2139/ssrn.3644034.
- [44] A. Sharma and S. Rani, “A Cutting-Edge Hybrid Deep Learning Technique with Low Rank Approximation for Attacks Classification on <scp>IoT</scp> Traffic Data,” *Internet Technology Letters*, Nov. 2024, doi: 10.1002/itl2.606.
- [45] “Multi-Object Classification for Deep Learning Analysis in CNN and MLP,” *NeuroQuantology*, Sep. 2022, doi: 10.48047/nq.2022.20.10.NQ55581.
- [46] P. Mittal, A. Sharma, and R. Singh, “Deformable patch-based-multi-layer perceptron Mixer model for forest fire aerial image classification,” *J Appl Remote Sens*, vol. 17, no. 02, Nov. 2022, doi: 10.1117/1.JRS.17.022203.
- [47] D. Banerjee, V. Kukreja, S. Vats, V. Jain, and B. Goyal, “Enhancing Accuracy of Yellowing Disease Severity Level Detection in Coconut Palms with SVM Regularization and CNN Feature Extraction,” in *2023 Third International Conference on Secure Cyber Computing and Communication (ICSCCC)*, IEEE, May 2023, pp. 109–114. doi: 10.1109/ICSCCC58608.2023.10176557.
- [48] F. Guo, D. Liu, S. Mo, Q. Li, J. Meng, and Q. Huang, “Assessment of Phenological Dynamics of Different Vegetation Types and Their Environmental Drivers with Near-Surface Remote Sensing: A Case Study on the Loess Plateau of China,” *Plants*, vol. 13, no. 13, p. 1826, Jul. 2024, doi: 10.3390/plants13131826.
- [49] K. A. Rashedi, M. T. Ismail, S. Al Wadi, A. Serroukh, T. S. Alshammary, and J. J. Jaber, “Multi-Layer Perceptron-Based Classification with Application to Outlier Detection in Saudi Arabia Stock Returns,” *Journal of Risk and Financial Management*, vol. 17, no. 2, p. 69, Feb. 2024, doi: 10.3390/jrfm17020069.
- [50] C. Wang *et al.*, “R-MFNet: Analysis of Urban Carbon Stock Change against the Background of Land-Use Change Based on a Residual Multi-Module Fusion Network,” *Remote Sens (Basel)*, vol. 15, no. 11, Jun. 2023, doi: 10.3390/rs15112823.
- [51] Y. Zheng, Z. Dang, C. Peng, C. Yang, and X. Gao, “Multi-view Multi-label Anomaly Network Traffic Classification based on MLP-Mixer Neural Network,” Oct. 2022.
- [52] Q. Zhang, E. Bai, M. Shao, and H. Liang, “Video-Mlp: Convolution-Free, Attention-Free Architecture for Video Classification,” 2023. doi: 10.2139/ssrn.4372886.
- [53] S. Illarionova, P. Tregubova, I. Shukhratov, D. Shadrin, A. Efimov, and E. Burnaev, “Advancing forest carbon stocks’ mapping using a hierarchical approach with machine learning and satellite imagery,” *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-71133-8.
- [54] T. Leditznig and H. Klug, “Estimating Carbon Stock in Unmanaged Forests Using Field Data and Remote Sensing,” *Remote Sens (Basel)*, vol. 16, no. 21, p. 3926, Oct. 2024, doi: 10.3390/rs16213926.
- [55] T. D. Pham *et al.*, “Advances in Earth observation and machine learning for quantifying blue carbon,” Aug. 01, 2023, *Elsevier B.V.* doi: 10.1016/j.earscirev.2023.104501.
- [56] R. Ma, W. Wu, Q. Wang, N. Liu, and Y. Chang, “Offshore Hydrocarbon Exploitation Target Extraction Based on Time-Series Night Light Remote Sensing Images and Machine Learning Models: A Comparison of Six Machine Learning Algorithms and Their Multi-Feature Importance,” *Remote Sens (Basel)*, vol. 15, no. 7, Apr. 2023, doi: 10.3390/rs15071843.
- [57] L. Dong *et al.*, “Application of convolutional neural network on lei bamboo above-ground-biomass (AGB) estimation using Worldview-2,” *Remote Sens (Basel)*, vol. 12, no. 6, Mar. 2020, doi: 10.3390/rs12060958.

- [58] D. Krstinić, M. Braović, L. Šerić, and D. Božić-Štulić, “Multi-label Classifier Performance Evaluation with Confusion Matrix,” in *Computer Science & Information Technology*, AIRCC Publishing Corporation, Jun. 2020, pp. 01–14. doi: 10.5121/csit.2020.100801.
- [59] X. Zhou and A. Del Valle, “Range Based Confusion Matrix for Imbalanced Time Series Classification,” in *2020 6th Conference on Data Science and Machine Learning Applications (CDMA)*, IEEE, Mar. 2020, pp. 1–6. doi: 10.1109/CDMA47397.2020.00006.
- [60] A. I. O., O. B. R., A. S. B., and S. O. O., “Performance Evaluation of a Classification Model for Oral Tumor Diagnosis,” *Computer and Information Science*, vol. 13, no. 1, p. 1, Dec. 2019, doi: 10.5539/cis.v13n1p1.
- [61] A. Shandilya, “ML Model for Stock Classification,” *Int J Res Appl Sci Eng Technol*, vol. 12, no. 4, pp. 5230–5239, Apr. 2024, doi: 10.22214/ijraset.2024.61136.
- [62] J. Zhou *et al.*, “Evaluation of Different Algorithms for Estimating the Growing Stock Volume of *Pinus massoniana* Plantations Using Spectral and Spatial Information from a SPOT6 Image,” *Forests*, vol. 11, no. 5, p. 540, May 2020, doi: 10.3390/f11050540.
- [63] A. Algherairy, W. Almattar, E. Bakri, and S. Albelali, “The Impact of Feature Selection on Different Machine Learning Models for Breast Cancer Classification,” in *2022 7th International Conference on Data Science and Machine Learning Applications (CDMA)*, IEEE, Mar. 2022, pp. 91–96. doi: 10.1109/CDMA54072.2022.00020.