

CONTENTS

SELF DECLARATION AGAINST PLAGIARISM

SELF DECLARATION AGAINST PLAGIARISM

ABSTRACT **iv**

PREFACE **vi**

UCAPAN TERIMA KASIH **vii**

CONTENTS **ix**

LIST OF FIGURES **xiii**

LIST OF TABLES **xiv**

I INTRODUCTION **1**

1.1 Background 1

1.2 Problem Identification 3

1.3 Objectives 4

1.4 Scope of Work 4

1.5 Hypothesis 5

1.6 Research Methodology 6

II LITERATURE REVIEW **8**

2.1 Satellite Communication System 8

2.1.1 Geostationary Satellite 9

2.1.2 Satellite Frequency 11

| | | |
|----------|---|----|
| 2.1.3 | Implementation of Ku-Band | 14 |
| 2.2 | BRIsat | 15 |
| 2.3 | JCsat-1C | 17 |
| 2.4 | Indonesia Satellite Regulation | 18 |
| 2.5 | International Satellite Regulatory | 21 |
| 2.6 | Satellite Filing | 22 |
| 2.7 | Landing Rights | 24 |
| 2.8 | Spectrum Management | 27 |
| 2.9 | Market Access Satellite | 29 |
| 2.10 | Technical Aspect | 30 |
| 2.10.1 | Link Budget Analysis | 30 |
| 2.10.1.1 | EIRP (Effective Isotropic Radiated Power) | 30 |
| 2.10.1.2 | Free Space Loss (FSL) | 31 |
| 2.10.1.3 | G/T (Figure of Merit) | 31 |
| 2.10.1.4 | Carrier to Noise (C/N) | 32 |
| 2.10.1.5 | Antenna Gain | 34 |
| 2.10.1.6 | Bandwidth | 34 |
| 2.10.2 | Subsatellite Point | 35 |
| 2.10.2.1 | Azimuth Angle | 35 |
| 2.10.2.2 | Elevation Angle | 36 |
| 2.10.2.3 | Slant Range | 36 |
| 2.10.3 | Coverage Analysis | 37 |
| 2.10.3.1 | Beamwidth | 37 |
| 2.10.4 | Capacity Analysis | 37 |
| 2.10.5 | Interference | 38 |
| 2.10.5.1 | Carrier to Interference | 39 |
| 2.10.6 | Bit Error Rate (BER) | 42 |
| 2.10.7 | Throughput | 42 |

| | | |
|---------------------------------|---|-----------|
| 2.10.8 | Jitter | 43 |
| 2.10.9 | latency | 43 |
| III RESEARCH METHODOLOGY | | 44 |
| 3.1 | Thesis Workflow | 44 |
| 3.2 | Satellite parameter data | 45 |
| 3.2.1 | Overlap Frequency between BRIsat and Jsat-1C at Uplink and Downlink Ku- Band Frequency | 45 |
| 3.2.2 | BRIsat | 46 |
| 3.2.2.1 | Earth Station BRIsat Uplink | 47 |
| 3.2.2.2 | Earth Station BRIsat Downlink | 48 |
| 3.3 | JCsat-1C(JCsat18) | 49 |
| 3.3.1 | Earth Station JCsat-1C Uplink | 51 |
| 3.3.2 | Earth Station JCsat-1C Downlink | 51 |
| 3.4 | Technical Analysis | 52 |
| 3.4.1 | Interference | 52 |
| 3.4.2 | Bit Error Rate (BER) | 53 |
| 3.4.3 | Throughput | 53 |
| 3.4.4 | Jitter | 54 |
| 3.4.5 | Latency | 54 |
| 3.4.6 | Coverage Analysis | 55 |
| 3.4.7 | Capacity Analysis | 55 |
| 3.5 | Regulatory Analysis | 56 |
| IV ANALYSIS | | 58 |
| 4.1 | Technical Analysis Result | 58 |
| 4.1.1 | Carrier-to-Noise (C/N) Analysis | 58 |
| 4.1.1.1 | BRIsat Link | 58 |
| 4.1.1.2 | JCsat-1C Link | 60 |

| | | |
|----------|--|-----------|
| 4.1.2 | Interference | 61 |
| 4.2 | Coverage Overlap Analysis | 69 |
| 4.3 | Capacity Analysis | 70 |
| 4.3.1 | Increasing HPA Power which has an effect on BRIsat Uplink | 70 |
| 4.3.2 | Increasing HPA Power which has an effect on BRIsat Downlink | 72 |
| 4.3.3 | Spectrum Sharing Scenario | 74 |
| 4.3.3.1 | Spectrum Sharing Uplink | 74 |
| 4.3.3.2 | Spectrum Sharing Downlink | 77 |
| 4.4 | Regulatory Analysis | 78 |
| V | CONCLUSION AND RECOMMENDATION | 81 |
| 5.1 | Conclusion | 81 |
| 5.2 | Recommendation | 82 |
| 5.3 | Future Works | 82 |
| | BIBLIOGRAPHY | 83 |