

DAFTAR PUSTAKA

- Adiputra, D., Abdul Rahman, M. A., Ubaidillah, Mazlan, S. A., Nazmi, N., Shabdin, M. K., Kobayashi, J., & Mohammed Ariff, M. H. (2019). Control Reference Parameter for Stance Assistance Using a Passive Controlled Ankle Foot Orthosis—A Preliminary Study. *Applied Sciences*, 9(20), 4416. <https://doi.org/10.3390/app9204416>
- Adiputra, D., Asfari, U., Ubaidillah, Abdul Rahman, M. A., & Harun, A. M. (2023). Immediate Effect Evaluation of a Robotic Ankle–Foot Orthosis with Customized Algorithm for a Foot Drop Patient: A Quantitative and Qualitative Case Report. *International Journal of Environmental Research and Public Health*, 20(4). <https://doi.org/10.3390/ijerph20043745>
- Adiputra, D., Rahman, M. A. A., Ubaidillah, & Mazlan, S. A. (2020). Improving Passive Ankle Foot Orthosis System Using Estimated Ankle Velocity Reference. *IEEE Access*, 8, 194780–194794. <https://doi.org/10.1109/ACCESS.2020.3033852>
- Ahkami, B., Ahmed, K., Thesleff, A., Hargrove, L., & Ortiz-Catalan, M. (2023). Electromyography-Based Control of Lower Limb Prostheses: A Systematic Review. *IEEE Transactions on Medical Robotics and Bionics*, 5(3), 547–562. <https://doi.org/10.1109/TMRB.2023.3282325>
- Ashriyah, N., Sardjono, T. A., & Nuh, M. (2020). Pengembangan Instrumentasi dan Analisis Sinyal EMG pada Otot Leher. *Jurnal Teknik ITS*, 9(1). <https://doi.org/10.12962/j23373539.v9i1.44787>
- Calafiore, D., Negrini, F., Tottoli, N., Ferraro, F., Ozyemisci-Taskiran, O., & De Sire, A. (2022). Efficacy of robotic exoskeleton for gait rehabilitation in patients with subacute stroke: a systematic review. Dalam *European Journal of Physical and Rehabilitation Medicine* (Vol. 58, Nomor 1, hlm. 1–8). Edizioni Minerva Medica. <https://doi.org/10.23736/S1973-9087.21.06846-5>

- Candra Yoel Kristian Adi, Pratama Daniel Saka, & Sutejo Mianti Nurrizky. (2022). *The Effectiveness of Exercise Therapy to Improve Patients With Stroke Conditions: Systematic Review*. 1(2), 13–18. <https://ojs.stikestelogorejo.ac.id/index.php/pprj/article/view/303/63>
- Carvalho, C. R., Fernández, J. M., del-Ama, A. J., Oliveira Barroso, F., & Moreno, J. C. (2023). Review of electromyography onset detection methods for real-time control of robotic exoskeletons. *Journal of NeuroEngineering and Rehabilitation*, 20(1), 141. <https://doi.org/10.1186/s12984-023-01268-8>
- Cenit, M., & Gandhi, V. (2020). Design and development of the sEMG-based exoskeleton strength enhancer for the legs. *Journal of Mechatronics, Electrical Power, and Vehicular Technology*, 11(2), 64–74. <https://doi.org/10.14203/j.mev.2020.v11.64-74>
- Chen, W., Lyu, M., Ding, X., Wang, J., & Zhang, J. (2023). Electromyography-controlled lower extremity exoskeleton to provide wearers flexibility in walking. *Biomedical Signal Processing and Control*, 79, 104096. <https://doi.org/10.1016/j.bspc.2022.104096>
- Collins, S. H., Wiggin, M. B., & Sawicki, G. S. (2015). Reducing the energy cost of human walking using an unpowered exoskeleton. *Nature*, 522(7555), 212–215. <https://doi.org/10.1038/nature14288>
- Di Nardo, F., Nocera, A., Cucchiarelli, A., Fioretti, S., & Morbidoni, C. (2022). Machine Learning for Detection of Muscular Activity from Surface EMG Signals. *Sensors*, 22(9). <https://doi.org/10.3390/s22093393>
- Di Nardo, F., Spinsante, S., Pagliuca, C., Poli, A., Strazza, A., Agostini, V., Knaflitz, M., & Fioretti, S. (2020). Variability of Muscular Recruitment in Hemiplegic Walking Assessed by EMG Analysis. *Electronics*, 9(10), 1572. <https://doi.org/10.3390/electronics9101572>
- Durandau, G., Rampeltshammer, W., van der Kooij, H., & Sartori, M. (2021). *Neuromechanical model-based adaptive control of bi-lateral ankle*

exoskeletons: biological joint torque and electromyogram reduction across walking conditions. <https://doi.org/10.1109/TRO.2022.3170239>

Furui, A., Igaue, T., & Tsuji, T. (2021). EMG pattern recognition via Bayesian inference with scale mixture-based stochastic generative models. *Expert Systems with Applications*, 185, 115644. <https://doi.org/10.1016/j.eswa.2021.115644>

Ghifari, A. A. (2021). *Kuantifikasi Sinyal EMG Untuk Penilaian Kondisi Motoric Pasien Pasca Stroke Dengan Variable Amplitudo, Frekuensi Dan Power*. Institute Teknologi Bandung.

Hakim, A. El. (2021). RANCANG BANGUN ELEKTROMIOGRAFI PERMUKAAN PORTABEL. *Jurnal Elektro dan Telekomunikasi Terapan*, 8(1), 997. <https://doi.org/10.25124/jett.v8i1.3844>

Hasanah, M., Gofir, A., Setyopranoto, I., UIN Sunan Kalijaga, K., Neurologi, D., Kedokteran, F., & Gadjah Mada, U. (2019). *Neurorehabilitasi motorik pasca stroke Post stroke neurorehabilitation*. <https://journal.ugm.ac.id/bns/article/view/54998/27338>

Kok, C. L., Ho, C. K., Tan, F. K., & Koh, Y. Y. (2024). Machine Learning-Based Feature Extraction and Classification of EMG Signals for Intuitive Prosthetic Control. *Applied Sciences*, 14(13), 5784. <https://doi.org/10.3390/app14135784>

Konrad, P. (2005). *The ABC of EMG A Practical Introduction to Kinesiological Electromyography* (1 ed.). Noraxon INC. USA.

Lyu, M., Chen, W. H., Ding, X., Wang, J., Pei, Z., & Zhang, B. (2019). Development of an EMG-controlled knee exoskeleton to assist home rehabilitation in a game context. *Frontiers in Neurorobotics*, 13. <https://doi.org/10.3389/fnbot.2019.00067>

Maier, M., Ballester, B. R., & Verschure, P. F. M. J. (2019). Principles of Neurorehabilitation After Stroke Based on Motor Learning and Brain

- Plasticity Mechanisms. Dalam *Frontiers in Systems Neuroscience* (Vol. 13). Frontiers Media S.A. <https://doi.org/10.3389/fnsys.2019.00074>
- Moon, D.-H., Kim, D., & Hong, Y.-D. (2019). Intention Detection Using Physical Sensors and Electromyogram for a Single Leg Knee Exoskeleton. *Sensors*, 19(20), 4447. <https://doi.org/10.3390/s19204447>
- Nurriszky Mianti, Shidieq Firdaus Hafids As, & Pinzon Rizaldy. (2021). *Analisis Utilitas Rehabilitasi Medik Pasien Stroke Pelayanan Rawat Jalan Pada BPJS di Indonesia Tahun 2015-2016*. <https://etd.repository.ugm.ac.id/penelitian/detail/195232>
- Pratama, A. D., Fatimah, F., Noviana, M., & Pahlawi, R. (2022). Efektivitas Balance dan Core Exercise untuk meningkatkan Keseimbangan Statis pada Kasus Stroke Hemiparese Sinistra. *Jurnal Fisioterapi Terapan Indonesia*, 1(1), 17.
- Rizky, H., Priharti, W., & Rahmawati, D. (2022). *Perancangan Force Platform untuk Analisis Gaya Berjalan (Force Platform Design for Gait Analysis)*. <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/17710/0>
- Rosales-Luengas, Y., Espinosa-Espejel, K. I., López-Gutiérrez, R., Salazar, S., & Lozano, R. (2023). Lower Limb Exoskeleton for Rehabilitation with Flexible Joints and Movement Routines Commanded by Electromyography and Baropodometry Sensors. *Sensors*, 23(11). <https://doi.org/10.3390/s23115252>
- Seniam. (2023). “Surface Electromyography for the Non-Invasive Assessment of Muscles,” European Recommendations. <http://www.seniam.org/>.
- Shah, C., Fleming, A., Nalam, V., He, & Huang. (2022). *Design of EMG-driven Musculoskeletal Model for Volitional Control of a Robotic Ankle Prosthesis*.

- Song, S., & Geyer, H. (2017). Evaluation of a Neuromechanical Walking Control Model Using Disturbance Experiments. *Frontiers in Computational Neuroscience*, 11. <https://doi.org/10.3389/fncom.2017.00015>
- Spiewak, C. (2018). A Comprehensive Study on EMG Feature Extraction and Classifiers. *Open Access Journal of Biomedical Engineering and Biosciences*, 1(1). <https://doi.org/10.32474/OAJBEB.2018.01.000104>
- Suga, T., Terada, M., Tomoo, K., Miyake, Y., Tanaka, T., Ueno, H., Nagano, A., & Isaka, T. (2021). Association between plantar flexor muscle volume and dorsiflexion flexibility in healthy young males: ultrasonography and magnetic resonance imaging studies. *BMC Sports Science, Medicine and Rehabilitation*, 13(1), 8. <https://doi.org/10.1186/s13102-021-00233-z>
- Ugbolue, U. C., Yates, E. L., Ferguson, K., Wearing, S. C., Gu, Y., Lam, W.-K., Baker, J. S., Dutheil, F., Sculthorpe, N. F., & Dias, T. (2021). Electromyographic Assessment of the Lower Leg Muscles during Concentric and Eccentric Phases of Standing Heel Raise. *Healthcare*, 9(4), 465. <https://doi.org/10.3390/healthcare9040465>
- Ullah, A., Ali, S., Khan, I., Khan, M. A., & Faizullah, S. (2020). *Effect of Analysis Window and Feature Selection on Classification of Hand Movements Using EMG Signal*.
- Vaughan-Graham, J., Brooks, D., Rose, L., Nejat, G., Pons, J., & Patterson, K. (2020). Exoskeleton use in post-stroke gait rehabilitation: A qualitative study of the perspectives of persons post-stroke and physiotherapists. *Journal of NeuroEngineering and Rehabilitation*, 17(1). <https://doi.org/10.1186/s12984-020-00750-x>
- Vaz, M. A. B., Pacheco, P. S., Seidel, E. J., & Ansuji, A. P. (2017). Classification of the coefficient of variation to variables in beef cattle experiments. *Ciência Rural*, 47(11). <https://doi.org/10.1590/0103-8478cr20160946>

- Wahyuni Molli. (2021). *Statistik Deskriptif Untuk Penelitian Olah Data Manual dan SPSS Versi 25*.
- Watanabe, H., Goto, R., Tanaka, N., Matsumura, A., & Yanagi, H. (2017). Effects of gait training using the Hybrid Assistive Limb® in recovery-phase stroke patients: A 2-month follow-up, randomized, controlled study. *NeuroRehabilitation*, 40(3), 363–367. <https://doi.org/10.3233/NRE-161424>
- Yaserifar, M., & Souza Oliveira, A. (2022). Surface EMG variability while running on grass, concrete and treadmill. *Journal of Electromyography and Kinesiology*, 62, 102624. <https://doi.org/10.1016/j.jelekin.2021.102624>
- Yu, L., Leto, H., & Bai, S. (2023). Design and Gait Control of an Active Lower Limb Exoskeleton for Walking Assistance. *Machines*, 11(9), 864. <https://doi.org/10.3390/machines11090864>
- Zafra-Palma, J., Marín-Jiménez, N., Castro-Piñero, J., Cuenca-García, M., Muñoz-Salinas, R., & Marín-Jiménez, M. J. (2025). Health & Gait: a dataset for gait-based analysis. *Scientific Data*, 12(1). <https://doi.org/10.1038/s41597-024-04327-4>