

DAFTAR PUSTAKA

- [1] R. Fatkhul Janna, A. C. Nur, D. Y. Kumarajati, F. Agisna, and S. Thallah Chaerunisa, "Perancangan Jari Prostetik untuk Penyandang Tuna Daksa Berbasis Sensor Sentuh dan Arduino Uno," *KINEMATIKA*, vol. 9, no. 1, pp. 1–11, 2024, doi: 10.20527/sjmekinematika.v9i1.291.
- [2] H. Sulistyawati, A. Muhid, P. Psikologi, U. Sunan, and A. Surabaya, "Meningkatkan Resiliensi pada Penyandang Tuna Daksa Melalui Terapi Realitas: Literature Review," *UIN Sunan Ampel Surabaya*, vol. 2, pp. 15–23, 2022.
- [3] Badan Pusat Statistik, "Jumlah Penduduk Berumur 5 Tahun ke Atas menurut Kelompok Umur, Daerah Perkotaan/Perdesaan, Jenis Kelamin, dan Tingkat Kesulitan Menggunakan Jari dan Tangan, INDONESIA, Tahun 2022," *sensus.bps.go.id*. Accessed: Sep. 29, 2024. [Online]. Available: <https://sensus.bps.go.id/topik/tabular/sp2022/148/0/0>
- [4] Badan Pusat Statistik Kota Bandung, "Jumlah Penyandang Disabilitas per Kecamatan di Kota Bandung (Jiwa), 2021," *bandungkota.bps.go.id*. Accessed: Sep. 29, 2024. [Online]. Available: <https://bandungkota.bps.go.id/id/statistics-table/2/OTg0IzI=/jumlah-penyandang-disabilitas-per-kecamatan-di-kota-bandung.html>
- [5] Romdhoni Nur Huda, Lobes Herdiman, and Taufiq Rochman, "Desain Jari Antropomorfik pada Tangan Prostetik dengan Mekanisme Cross Bar Linkage 1 Degree of Freedom," *Talenta Conference Series: Energy and Engineering (EE)*, vol. 2, no. 3, Dec. 2019, doi: 10.32734/ee.v2i3.693.
- [6] N. Sharma and M. Venkadesan, "Finger stability in precision grips," 2022, doi: 10.1073/pnas.
- [7] A. Kurnia Putra, "Rancang Bangun Tangan Prosthesis Menggunakan Flex Sensor dan Modul Bluetooth Berbasis Arduino," 2020. [Online]. Available: www.usahidsolo.ac.id//alpheen.putra@gmail.com
- [8] E. Dwi Ratna Sari, S. Bondan Respati dan Agung Nugroho Jurusan Teknik Mesin, F. Teknik, and Wahid Hasyim, "Analisis Kekuatan Tarik dan Bending Komposit Serat Karbon-Resin dengan Variasi Waktu Curing dan Suhu Penahanan 80°C," *Universitas Wahid Hasyim*, pp. 150–155, 2020, [Online]. Available: <https://publikasiilmiah.unwahas.ac.id/MOMENTUM/article/view/3771/0>
- [9] S. Salam, "Studi Sifat Fisis dan Mekanis Komposit Matriks Resin Epoxy yang Diperkuat Dengan Serbuk Titania (TiO₂)," 2007.

- [10] H. Fajarudin and R. Doni Widodo, “Kekuatan Tarik Material Fiber Carbon Dan Fiber Glass Berdasarkan Orientasi Serat Berbasis Matriks epoxy,” 2021. [Online]. Available: <https://journal.unnes.ac.id/sju/index.php/jim>
- [11] S. Bilgin, Y. Üser, and M. Mercan, “Robotic Hand Controlling Based on Flexible Sensor,” *International Journal Of Engineering & Applied Sciences*, vol. 8, no. 4, pp. 49–49, Dec. 2016, doi: 10.24107/ijeas.281463.
- [12] G. E. Prambudi, R. Maulana, and W. Kurniawan, “Implementasi Sistem Pengendali Jari Tangan Robot Dengan Sensor Flex Menggunakan Metode Map,” 2019. [Online]. Available: <http://j-ptiik.ub.ac.id>
- [13] Rizkha Amaliyah dg. Pawata, “Penerapan Finger Painting untuk Meningkatkan Kemampuan Menulis Permulaan pada Anak Tunadaksa Kelas Dasar II di SD Inpres Maccini Baru Makassar,” *Universitas Negeri Makasar*, Feb. 2022.
- [14] F. Wahyu Nurita, H. Tetuko, D. Fauzan Abid, and D. 'ul Husna, “Hubungan Antara Dukungan Sosial dan Efikasi Diri pada Penyandang Tuna Daksa,” *Jurnal Pendidikan Tambusai*, vol. 7, p. 237, 2023.
- [15] Y. Demir, “Upper limb prosthetic prescription,” 2023, *Turkish Society of Physical Medicine and Rehabilitation*. doi: 10.5606/tftrd.2023.12933.
- [16] I. Rhiu and W. Kim, “Estimation of stature from finger and phalange lengths in a Korean adolescent,” *J Physiol Anthropol*, vol. 38, no. 1, Oct. 2019, doi: 10.1186/s40101-019-0206-1.
- [17] D. K. Mubela and H. Sutysna, “Hubungan Panjang Jari Telunjuk Tangan (Digiti II Manus) Terhadap Tinggi Badan Pada Suku Batak Di Fakultas Kedokteran Universitas Muhammadiyah Sumatera Utara,” *SRIWIJAYA JOURNAL OF MEDICINE*, vol. 3, no. 1, pp. 1–7, Jan. 2020, doi: 10.32539/sjm.v3i1.85.
- [18] D. Kumar Sudele, H. Chaudhari, P. Singh, and M. Tripathi, “MORPHOMETRIC ANALYSIS OF INDEX FINGER AND RING FINGER AND COMPARING WITH HEIGHT WEIGHT AND BMI,” *Int J Med Public Health*, vol. 14, 2024, doi: 10.5530/ijmedph.2024.2.128.
- [19] C. Saputra, R. Setiawan, and Y. Arvita, “Penerapan Sistem Kontrol Suhu dan Monitoring Serta Kelembapan pada Kumbung Jamur Tiram Berbasis Iot Menggunakan Metode Fuzzy Logic,” 2022.
- [20] H. Syafik Maulana, H. Lathifah, M. Ajis, N. Saidatin, I. T. Adhi, and T. Surabaya, “Prosiding Seminar Nasional Teknologi Industri Berkelanjutan IV (SENASTITAN IV) Surabaya,” 2024.

- [21] Technical Tutorials, “Difference between Open Loop and Closed Loop Control System,” lisleapex. Accessed: Oct. 28, 2024. [Online]. Available: <https://www.lisleapex.com/blog-difference-between-open-loop-and-closed-loop-control-system-2024>
- [22] F. I. Haq, “Implementasi IMU (Inertial Measurement Unit) dan Flex Sensor Pada Sistem Pergerakan Arm Manipulator,” 2018.
- [23] “Flex Sensor,” components101.
- [24] M. F. Haikal, W. Anugrah Cahyadi S, and E. Susanto, “Perancangan Kendali Robot Artikulasi Menggunakan Gyroscope dan Flex Sensor,” 2021.
- [25] U. Aulia and M. Rival Abizar, “Perancangan Sistem Kendali Prosthetic Arm Penggerak Motor Servo dan Sensor Flex Berbasis Mikrokontroler,” *Jurnal Teknik Mesin Unsyiah*, vol. 8, no. 1, 2020.
- [26] HiBit and tmekinyan, “How to control servo motor with Arduino,” hackster.io. Accessed: Feb. 06, 2025. [Online]. Available: <https://www.hackster.io/hibit/how-to-control-servo-motor-with-arduino-657695>
- [27] F. Maulana, D. Fernandez, H. Maksun, and M. Y. Setiawan, “Perbandingan Kekuatan Bending Material Komposit Penguat Carbon Fiber Dengan Hasil Metode Pembuatan Vacuum Infusion Dan Manual Hand Lay-Up,” *MSI Transaction on Education*, vol. 5, no. 4, pp. 227–236, Nov. 2024, doi: 10.46574/mted.v5i4.167.
- [28] A. I. Tauvana, “Pengaruh matrik resin-epoxy terhadap kekuatan impak dan sifat fisis komposit serat nanas,” 2020.
- [29] I. H. Ismadi, G. Nugroho, and M. J. Grafika, “Tensile Strength of Carbon Fiber/Epoxy Composite Manufactured by the Bladder Compression Molding Method at Variable Pressure Levels,” *Journal of Materials Processing and Characterization*, vol. 1, no. 1, pp. 14–21, 2020.
- [30] F.C. Campbell, *Structural Composite Materials*. London: ASMInternational, 2010.
- [31] D. K. Rajak, P. H. Wagh, and E. Linul, “Manufacturing technologies of carbon/glass fiber-reinforced polymer composites and their properties: A review,” Nov. 01, 2021, *MDPI*. doi: 10.3390/polym13213721.
- [32] “Lembar Serat Karbon Campuran Thermo Teropplastik.” Accessed: Jun. 11, 2025. [Online]. Available: <https://id.made-in->

china.com/co_weihaxueyi/product_Thermoplastic-Peek-Composite-Carbon-Fiber-Sheet_yssiosggry.html

- [33] J. Cooley, "AN INTRODUCTION TO COMMON HAND-LAYUP METHODS WITH COMPOSITE MATERIALS," 2018.
- [34] K. Abdurohman *et al.*, "A Comparison of Vacuum Infusion, Vacuum Bagging, and Hand Lay-Up Process on The Compressive and Shear Properties of GFRP Materials," *Indonesian Journal of Aerospace*, vol. 21, no. 1, pp. 39–50, 2023, doi: 10.59981/ijoa.2023.286.
- [35] "Fabrication Processes." Accessed: Jul. 07, 2025. [Online]. Available: https://archive.nptel.ac.in/content/storage2/courses/101104010/lecture7/7_2.htm
- [36] Professor D, "Flexion vs Extension: Key Differences in Joint Movements," nexus nursing institute. Accessed: Oct. 25, 2024. [Online]. Available: <https://nexusnursinginstitute.com/flexion-vs-extension/>
- [37] A. Deaconescu, "Pneumatic Muscle Actuated Rehabilitation Equipment of the Upper Limb Joints," in *IOP Conference Series: Materials Science and Engineering*, Institute of Physics Publishing, Jun. 2017. doi: 10.1088/1757-899X/212/1/012011.
- [38] elktros, "Arduino_Flex_Sensor_Servo.ino," GitHub. Accessed: Feb. 06, 2025. [Online]. Available: <https://gist.github.com/elktros/52fb6f3f8614173b4ddf3275bb26adbf>
- [39] "map()." Accessed: Jul. 07, 2025. [Online]. Available: <https://docs.arduino.cc/language-reference/en/functions/math/map/>
- [40] A. M, D. Mahesh Kumar, N. Rao, and A. Parveen, "Development and Implementation of Real-Time Flex Sensor based Prosthetic Hand," 2020. [Online]. Available: www.ijert.org
- [41] F. S. Hari A H and Me. Nidn, "Pembuatan Tangan Palsu Menggunakan Teknologi 3D Printing Berbasis Mikrocontroler Arduino Uno untuk Pasien Amputasi," 2021.
- [42] Z. Chen, S. Song, Z. Wei, J. Fang, and J. Long, "Approximating median absolute deviation with bounded error," in *Proceedings of the VLDB Endowment*, VLDB Endowment, 2021, pp. 2114–2126. doi: 10.14778/3476249.3476266.
- [43] F. Hari Saputro Al Haris, R. Wisudawanto, A. Kurnia Putra, P. Studi Informatika, U. Sahid Surakarta, and J. Adi Sucipto no, "Perancangan

Tangan Prosthesis Bawah Siku Berbasis Flexy Hand 2 dan Flex Sensor,” 2021.

- [44] “Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON); General aspects of Quality of Service (QoS),” 1999. [Online]. Available: <http://www.etsi.org>
- [45] J. Joung and J. Kwon, “Zero jitter for deterministic networks without time-synchronization,” *IEEE Access*, vol. 9, pp. 49398–49414, 2021, doi: 10.1109/ACCESS.2021.3068515.
- [46] N. Fitrya *et al.*, “Pentingnya Akurasi dan Presisi Alat Ukur Dalam Rumah Tangga,” *Jurnal Untuk Mu negeRI*, vol. 1, no. 2, 2017.
- [47] R. Denti Salindeho, J. Soukota, R. Poeng, J. Teknik, M. Universitas, and S. Ratulangi, “Pemodelan Pengujian Tarik untuk Menganalisis Sifat Mekanik Material.”
- [48] H. N. Beliu, Y. M. Pell, J. U. Jasron,) Jurusan, and T. Mesin, “Analisa Kekuatan Tarik dan Bending pada Komposit Widuri-Polyester,” 2016, [Online]. Available: <http://ejournal-fst-unc.com/index.php/LJTMU>
- [49] B. Sehar *et al.*, “The Impact of Laminations on the Mechanical Strength of Carbon-Fiber Composites for Prosthetic Foot Fabrication,” *Crystals (Basel)*, vol. 12, no. 10, Oct. 2022, doi: 10.3390/cryst12101429.
- [50] I. Syafa’aat, P. Setyawan, and I. Mujiarto, “Analisis Pengaruh Bentuk Infill ...,” 2022. [Online]. Available: <https://www.sd3d.com>
- [51] N. Rafiq Muhammad and P. Manufaktur Negeri Bangka Belitung, “Pengaruh Merk Filamen Pla Terhadap Kuat Tarik Spesimen Uji Astm D638 Type V,” vol. 01, no. 2, p. 473, 2023.
- [52] S. Hadi Susilo, E. Yudiyanto, A. Setiawan, T. Mesin, P. Negeri Malang, and N. Diterima, “Evaluasi Kekuatan Tarik Printer 3D dengan Variasi Suhu dan Ketebalan Layer pada Material PLA berdasarkan Standar ASTM D-638,” 2023. [Online]. Available: <http://jetm.polinema.ac.id/>
- [53] Barokah, B. Cahyono, B. Sampurno, M. Bintang Fikri, and A. I. Ramadahani, “EFEK PEMANASAN TERHADAP VISKOSITAS DAN DENSITAS BIODIESEL,” 2022.