

BIBLIOGRAPHY

- [1] Joyce Y. M. Nip and Benoit Berthelier. Social media sentiment analysis. *Encyclopedia*, 2024. doi: 10.3390/encyclopedia4040104. URL <https://www.mdpi.com/2673-8392/4/4/104>.
- [2] Hongjie Deng, Daji Ergu, Fangyao Liu, Ying Cai, and Bo Ma. Text sentiment analysis of fusion model based on attention mechanism. *Procedia Computer Science*, 2022. doi: 10.1016/j.procs.2022.01.092. URL <https://doi.org/10.1016/j.procs.2022.01.092>.
- [3] Nhan Cach Dang, María N. Moreno-García, and Fernando De la Prieta. Sentiment analysis based on deep learning: A comparative study. *Electronics*, 2020. doi: 10.3390/electronics9030483. URL <https://doi.org/10.3390/electronics9030483>.
- [4] Spyridon Kardakis, Isidoros Perikos, Foteini Grivokostopoulou, and Ioannis Hatzilygeroudis. Examining attention mechanisms in deep learning models for sentiment analysis. *Applied Sciences*, 2021. doi: 10.3390/app11093883. URL <https://doi.org/10.3390/app11093883>.
- [5] Marjan Kamyab, Guohua Liu, and Michael Adjeisah. Attention-based cnn and bi-lstm model based on tf-idf and glove word embedding for sentiment analysis. *Applied Sciences*, 2021. doi: 10.3390/app112311255. URL <https://doi.org/10.3390/app112311255>.
- [6] Qianzi Shen, Zijian Wang, and Yaoru Sun. Sentiment analysis of movie reviews based on cnn-blstm. In *Intelligence Science I*. Springer, Cham, 2017. doi: 10.1007/978-3-319-68121-4_17. URL https://doi.org/10.1007/978-3-319-68121-4_17.
- [7] Lu Shang and Others. Sentiment analysis of film reviews based on cnblstm-attention. *Journal of Physics: Conference Series*, 2020. URL <https://doi.org/10.1088/1742-6596/1550/3/032056>.
- [8] Md. Mostafizer Rahman, Ariful Islam Shiplu, Yutaka Watanobe, and Md. Ashad Alam. Roberta-bilstm: A context-aware hybrid model for sentiment analysis. *arXiv preprint arXiv:2406.00367*, 2024. doi: 10.48550/arXiv.2406.00367. URL <https://doi.org/10.48550/arXiv.2406.00367>.
- [9] Mayur Wnkhade, Chandra Sekhar, and Ajith Abraham. Mapa bilstm-bert: multi-aspects position aware attention for aspect level sentiment analysis. *The Journal of Supercomputing*, 2023. doi: 10.1007/s11227-023-05112-7.
- [10] M. Wankhade, C. S. R. Annavarapu, and A. Abraham. Cbmamf: Cnn-bilstm multi-attention fusion mechanism for sentiment classification. *Multimedia Tools and Appli-*

- cations*, 2024. doi: 10.1007/s11042-023-17437-9. URL <https://doi.org/10.1007/s11042-023-17437-9>.
- [11] Wang Yue and Li Lei. Sentiment analysis using a cnn-bilstm deep model based on attention classification. *Information*, 2023. doi: 10.47880/inf2603-02.
- [12] Wei Wei, Zanbo Wang, Xianling Mao, Guangyou Zhou, Pan Zhou, and Sheng Jiang. Position-aware self-attention based neural sequence labeling. *Pattern Recognition*, 2021. doi: <https://doi.org/10.1016/j.patcog.2020.107636>. URL <https://www.sciencedirect.com/science/article/pii/S0031320320304398>.
- [13] Anwar Ur Rehman, Ahmad Malik, Basit Raza, and Waqar Ali. A hybrid cnn-lstm model for improving accuracy of movie reviews sentiment analysis. *Multimedia Tools and Applications*, 2019. doi: 10.1007/s11042-019-07788-7.
- [14] Beakcheol Jang, Myeonghwi Kim, Gaspard Harerimana, Sang-ug Kang, and Jong Wook Kim. Bi-lstm model to increase accuracy in text classification: Combining word2vec cnn and attention mechanism. *Applied Sciences*, 2020. doi: 10.3390/app10175841. URL <https://www.mdpi.com/2076-3417/10/17/5841>.
- [15] N. I. Jahan, N. M. N. Islam, N. M. M. Hasan, and N. M. R. Siddiky. Comparative analysis of machine learning algorithms for sentiment classification in social media text. *World Journal of Advanced Research and Reviews*, 2024. doi: 10.30574/wjarr.2024.23.3.2983.
- [16] Yogesh Chandra and Antoreep Jana. Sentiment analysis using machine learning and deep learning. In *2020 7th International Conference on Computing for Sustainable Global Development (INDIACom)*, 2020. doi: 10.23919/INDIACom49435.2020.9083703. URL <https://doi.org/10.23919/INDIACom49435.2020.9083703>.
- [17] Jiangao Deng and Yue Liu. Research on sentiment analysis of online public opinion based on roberta-bilstm-attention model. *Applied Sciences*, 2025. doi: 10.3390/app15042148. URL <https://doi.org/10.3390/app15042148>.
- [18] Kian Long Tan, Chin Poo Lee, and Kian Ming Lim. Roberta-gru: A hybrid deep learning model for enhanced sentiment analysis. *Applied Sciences*, 2023. doi: 10.3390/app13063915. URL <https://doi.org/10.3390/app13063915>.
- [19] Jiangfeng Zeng, Xiao Ma, and Ke Zhou. Enhancing attention-based lstm with position context for aspect-level sentiment classification. *IEEE Access*, 2019. doi: 10.1109/ACCESS.2019.2893806.
- [20] Q. Sifak and E. B. Setiawan. Hate speech detection using cnn and bigru with attention mechanism on twitter. In *2023 IEEE International Conference on Communication*,

- Networks and Satellite (COMNETSAT)*, 2023. doi: 10.1109/COMNETSAT59769.2023.10420628.
- [21] Noura A. Semary, Wesam Ahmed, Khalid Amin, Paweł Pławiak, and Mohamed Hammad. Improving sentiment classification using a roberta-based hybrid model. *Frontiers in Human Neuroscience*, 17, 2023. ISSN 1662-5161. doi: 10.3389/fnhum.2023.1292010. URL <https://www.frontiersin.org/journals/human-neuroscience/articles/10.3389/fnhum.2023.1292010>.
- [22] R. Gangundi and R. Sridhar. Rbca-ets: Enhancing extractive text summarization with contextual embedding and word-level attention. *International Journal of Information Technology*, 2024. doi: 10.1007/s41870-024-02192-3. URL <https://doi.org/10.1007/s41870-024-02192-3>.
- [23] Alaeddine Moussa, Sebastien Fournier, Khaoula Mahmoudi, Bernard Espinasse, and Sami Faiz. Mixing static word embeddings and roberta for spatial role labeling. *Procedia Computer Science*, 2022. doi: 10.1016/j.procs.2022.09.353. URL <https://doi.org/10.1016/j.procs.2022.09.353>.
- [24] Krishna Kumar Mohbey, Gaurav Meena, Sunil Kumar, and K. Lokesh. A cnn-lstm-based hybrid deep learning approach for sentiment analysis on monkeypox tweets. *New Generation Computing*, 2023. doi: 10.1007/s00354-023-00227-0. URL <https://doi.org/10.1007/s00354-023-00227-0>.
- [25] Hongchan Li, Yu Ma, Zishuai Ma, and Haodong Zhu. Weibo text sentiment analysis based on bert and deep learning. *Applied Sciences*, 2021. doi: 10.3390/app112210774. URL <https://doi.org/10.3390/app112210774>.
- [26] Hongbin Xia, Chenhui Ding, and Yuan Liu. Sentiment analysis model based on self-attention and character-level embedding. *IEEE Access*, 2020. doi: 10.1109/access.2020.3029694. URL <https://doi.org/10.1109/access.2020.3029694>.
- [27] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention is all you need, 2023. URL <https://arxiv.org/abs/1706.03762>.
- [28] Lakshmi Narayanan. Imdb dataset of 50k movie reviews. <https://www.kaggle.com/datasets/lakshmi25npathi/imdb-dataset-of-50k-movie-reviews>, 2020. Accessed: 2025-01-06.
- [29] Crowdfunder. Twitter airline sentiment dataset. <https://www.kaggle.com/datasets/crowdfunder/twitter-airline-sentiment>, 2015.
- [30] Andrew L. Maas, Raymond E. Daly, Peter T. Pham, Dan Huang, Andrew Y. Ng, and Christopher Potts. Learning word vectors for sentiment analysis. In *Proceedings of*

- the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies*, 2011. URL <https://aclanthology.org/P11-1015/>.
- [31] Mosleh Mahamud, Zed Lee, and Isak Samsten. Distributional data augmentation methods for low resource language. *ArXiv*, abs/2309.04862, 2023. doi: 10.48550/arXiv.2309.04862.
- [32] Md Abrar Jahin, Md Sakib Hossain Shovon, M. F. Mridha, Md Rashedul Islam, and Yutaka Watanobe. A hybrid transformer and attention based recurrent neural network for robust and interpretable sentiment analysis of tweets. *Scientific Reports*, 2024. doi: 10.1038/s41598-024-76079-5. URL <https://doi.org/10.48550/arXiv.2404.00297>.
- [33] Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*, July 2019. doi: 10.48550/arXiv.1907.11692. URL <https://doi.org/10.48550/arXiv.1907.11692>.
- [34] Biplov Paneru, Bipul Thapa, and Bishwash Paneru. Sentiment analysis of movie reviews: A flask application using cnn with roberta embeddings. *Systems and Soft Computing*, 7:200192, 2025. doi: <https://doi.org/10.1016/j.sasc.2025.200192>. URL <https://www.sciencedirect.com/science/article/pii/S2772941925000109>.
- [35] Zx. Liu, Dg. Zhang, Gz. Luo, et al. A new method of emotional analysis based on cnn-bilstm hybrid neural network. *Cluster Computing*, 2020. doi: 10.1007/s10586-020-03055-9. URL <https://doi.org/10.1007/s10586-020-03055-9>.
- [36] Sanskar Soni, Satyendra Singh Chouhan, and Santosh Singh Rathore. Textconvonet: a convolutional neural network based architecture for text classification. *Applied Intelligence*, 2022. doi: 10.1007/s10489-022-04221-9. URL <https://doi.org/10.1007/s10489-022-04221-9>.
- [37] Dejun Zhang, Long Tian, Mingbo Hong, Han Fei, Yafeng Ren, and Yilin Chen. Combining convolution neural network and bidirectional gated recurrent unit for sentence semantic classification. *IEEE Access*, 2018. doi: 10.1109/ACCESS.2018.2882878.
- [38] W. Yue and L. Li. Sentiment analysis using word2vec-cnn-bilstm classification. In *2020 Seventh International Conference on Social Networks Analysis, Management and Security (SNAMS)*, 2020. doi: 10.1109/SNAMS52053.2020.9336549.
- [39] Y.-H. Hsieh and X.-P. Zeng. Sentiment analysis: An ernie-bilstm approach to bullet screen comments. *Sensors*, 2022. doi: 10.3390/s22145223. URL <https://doi.org/10.3390/s22145223>.

- [40] Amit Pimpalkar and Jeberson Retna Raj R. Mbilstmglove: Embedding glove knowledge into the corpus using multi-layer bilstm deep learning model for social media sentiment analysis. *Expert Systems with Applications*, 2022. doi: 10.1016/j.eswa.2022.117581. URL <https://www.sciencedirect.com/science/article/pii/S0957417422008946>.
- [41] Sepp Hochreiter and Jürgen Schmidhuber. Long short-term memory. *Neural Computation*, 9(8):1735–1780, 1997. doi: <https://doi.org/10.1162/neco.1997.9.8.1735>.
- [42] K. L. Tan, C. P. Lee, K. S. M. Anbananthen, and K. M. Lim. Roberta-lstm: A hybrid model for sentiment analysis with transformer and recurrent neural network. *IEEE Access*, 2022. doi: 10.1109/ACCESS.2022.3152828.
- [43] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*, 2014. URL <https://arxiv.org/abs/1409.0473>.
- [44] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding, 2019. URL <https://arxiv.org/abs/1810.04805>.
- [45] Zhouhan Lin, Minwei Feng, Cícero Nogueira dos Santos, Mo Yu, Bing Xiang, Bowen Zhou, and Yoshua Bengio. A structured self-attentive sentence embedding. *CoRR*, abs/1703.03130, 2017. URL <http://arxiv.org/abs/1703.03130>.
- [46] Minh-Thang Luong, Hieu Pham, and Christopher D. Manning. Effective approaches to attention-based neural machine translation. *arXiv preprint arXiv:1508.04025*, 2015. URL <https://arxiv.org/abs/1508.04025>.