

DAFTAR PUSTAKA

- [1] L. A. Siagian, "Tatalaksana Takikardia Ventrikel," *Cermin Dunia Kedokteran*, vol. 45, no. 9, pp. 678–682, Sep. 2018. [Online]. Available: <https://cdkjournal.com/index.php/CDK/article/view/723>.
- [2] Y. Yuniadi, "Mengatasi Aritmia, Mencegah Kematian Mendadak," *eJournal Kedokteran Indonesia*, vol. 5, no. 3, pp. 145–152, Dec. 2017. [Online]. Available: <https://www.neliti.com/id/publications/227864/mengatasi-aritmia-mencegah-kematian-mendadak>.
- [3] S. Laksono, "Interpretasi EKG Normal Praktis Bagi Pemula Suatu Tinjauan Mini," *e-Journal UNIZAR*, vol. 8, no. 2, pp. 123–135, Dec. 2021. [Online]. Available: <https://ejournal.unizar.ac.id/index.php/kedokteran/article/view/408..>
- [4] M. Rifali and D. Irmawati, "Sistem Cerdas Deteksi Sinyal Elektrokardiogram (EKG) untuk Klasifikasi Jantung Normal dan Abnormal Menggunakan Jaringan Syaraf Tiruan (JST)," *ELINVO*, vol. 4, no. 1, pp. 52–60, May 2019, doi: <https://doi.org/10.21831/elinvo.v4i1.28242>.
- [5] J. W. Chong, N. Esa, D. D. McManus, and K. H. Chon, "Arrhythmia discrimination using a smartphone," *IEEE Journal of Biomedical and Health Informatics*, vol. 19, no. 3, pp. 815–824, May 2015, doi: <https://doi.org/10.1109/JBHI.2015.2418195>
- [6] Y. Xia, H. Zhang, L. Xu, Z. Gao, H. Zhang, and H. Liu, "An automatic cardiac arrhythmia classification system with wearable electrocardiogram," *IEEE Access*, vol. 6, pp. 16529–16538, 2018, doi: <https://doi.org/10.1109/ACCESS.2018.2807700>
- [7] A. A. Ahmed, W. Ali, T. A. A. Abdullah, and S. J. Malebary, "Classifying cardiac arrhythmia from ECG signal using 1D CNN deep learning model," *Mathematics*, vol. 11, no. 3, p. 562, Jan. 2023, doi: <https://doi.org/10.3390/math11030562>
- [8] D. F. S. Losada, J. J. S. Gómez, and J. A. Z. Vela, "Classification of ECG signals using machine learning techniques," *Academic Journal of Interdisciplinary Studies*, vol. 13, no. 3, pp. 45–58, May 2024, doi: <https://doi.org/10.36941/ajis-2024-0067>

- [9] M. R. Fikri, I. Soesanti, and H. A. Nugroho, “ECG Signal Classification Review,” *International Journal of Information Technology and Electrical Engineering*, vol. 5, no. 1, pp. 1–8, Mar. 2021. [Online]. Available: <https://jurnal.ugm.ac.id/ijitee/article/download/60295/31492>
- [10] F. W. Rahayu, M. F. M. R. Faisal, D. T. D. T. Nugrahadi, Radityo, A. A. Nugroho, Muliadi, and S. Redjeki, “An electrocardiogram signal preprocessing strategy in LSTM algorithm for biometric recognition,” *Indonesian Journal of Computing and Cybernetics Systems*, vol. 18, no. 2, pp. 123–134, 2024, doi: <https://doi.org/10.22146/ijccs.93895>
- [11] N. Rastogi and R. Mehra, “Analysis of Butterworth and Chebyshev Filters for ECG Denoising Using Wavelets,” *IOSR Journal of Electronics and Communication Engineering*, vol. 6, no. 6, pp. 37–44, 2013. [Online]. Available: <https://www.iosrjournals.org/iosr-jece/papers/Vol6-Issue6/G0663744.pdf>
- [12] J. Aspuru, A. O. Ochoa-Brust, R. A. Félix, W. Mata-López, L. J. M. Mena, R. Ostos, and R. Martínez-Peláez, “Segmentation of the ECG signal by means of a linear regression algorithm,” *Sensors*, vol. 19, no. 4, p. 775, Feb. 2019, doi: <https://doi.org/10.3390/s19040775>
- [13] R. Rodríguez, A. Mexicano, J. Bilac, S. Cervantes, and R. Ponce, “Feature extraction of electrocardiogram signals by applying adaptive threshold and principal component analysis,” *Journal of Applied Research and Technology*, vol. 13, no. 2, pp. 261–269, Apr. 2015, doi: <https://doi.org/10.1016/j.jart.2015.06.008>.
- [14] D. Al-Shammary, M. Radhi, A. H. AlSaeedi, A. M. Mahdi, A. Ibaida, and A. Ahmed, “Classification based on the probabilistic Kullback–Leibler divergence,” *Informatics in Medicine Unlocked*, vol. 44, p. 101510, 2024, doi: <https://doi.org/10.1016/j.imu.2024.101510>
- [15] A. Clim, R. D. Zota, and G. Tinică, “The Kullback–Leibler divergence used in machine learning algorithms for health care applications and hypertension prediction: A literature review,” *Procedia Computer Science*, vol. 141, pp. 203–210, 2018, doi: <https://doi.org/10.1016/j.procs.2018.10.144>

- [16] O. M. Cliff, M. Prokopenko, and R. Fitch, "Minimising the Kullback–Leibler divergence for model selection in distributed nonlinear systems," *Entropy*, vol. 20, no. 2, p. 51, Jan. 2018, doi: <https://doi.org/10.3390/e20020051>
- [17] Q. Ayuni, R. C. Wihandika, and N. Yudistira, "Klasifikasi Aritmia dari Hasil Elektrokardiogram Menggunakan Metode Support Vector Machine," *J. Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 5, no. 5, pp. 2163–2170, May 2021. [Online]. Available: <https://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/8936>
- [18] G. Moody and R. Mark, "MIT-BIH arrhythmia database," *PhysioNet*, Feb. 24, 2005, doi: <https://doi.org/10.13026/C2F305>
- [19] GE HealthCare, "A guide to ECG signal filtering," *GE HealthCare Medical Systems and Solutions*, Aug. 2, 2023. [Online]. Available: <https://www.gehealthcare.com/insights/article/a-guide-to-ecg-signal-filtering>
- [20] E. Gustini, B. Rahmadya, and F. Akbar, "Sistem Deteksi Penderitaan Aritmia Berdasarkan Jumlah Detak Jantung Berbasis Smartphone," *Seminar Nasional Teknologi*, pp. 1–8, 2017. [Online]. Available: <https://jurnal.umj.ac.id/index.php/semnastek/article/view/1996>
- [21] C. S. Kalangi, E. L. Jim, dan V. F. F. Joseph, "Gambaran aritmia pada pasien penyakit jantung koroner di RSUP Prof. Dr. R. D. Kandou Manado periode 1 Januari 2015 – 31 Desember 2015," *e-CliniC*, vol. 4, no. 2, pp. 1–6, 2016. [Online]. Available: <https://ejournal.unsrat.ac.id/index.php/eclinic/article/view/14556>
- [22] [22] A. L. Goldberger, L. A. N. Amaral, L. Glass, J. M. Hausdorff, P. Ch. Ivanov, R. G. Mark, J. E. Mietus, G. B. Moody, C.-K. Peng, and H. E. Stanley, "PhysioBank, PhysioToolkit, and PhysioNet: Components of a new research resource for complex physiologic signals," *Circulation*, vol. 101, no. 23, pp. e215–e220, Jun. 2000, doi: <https://doi.org/10.1161/01.CIR.101.23.e215>
- [23] M. M. Al Rahhal, Y. Bazi, N. Alajlan, S. Malek, H. Al-Hichri, F. Melgani, and M. A. Al Zuair, "Classification of AAMI heartbeat classes with an interactive ELM ensemble learning approach," *Comput. Methods Programs Biomed.*, vol. 122, no. 2, pp. 258–269, May 2015. doi: <https://doi.org/10.1016/j.bspc.2015.03.010>

- [24] R. F. Hassan and S. A. Shaker, "ECG signal de-noising and feature extraction using Discrete Wavelet Transform," *Int. J. Eng. Trends Technol. (IJETT)*, vol. 63, no. 1, pp. 32–39, Sep. 2018. doi: <https://doi.org/10.14445/22315381/ijett-v63p206>
- [25] S. Dhyani, A. Kumar, and S. Choudhury, "Analysis of ECG-based arrhythmia detection system using machine learning," *MethodsX*, vol. 10, p. 102195, 2023, doi: <https://doi.org/10.1016/j.mex.2023.102195>
- [26] A. Jafari Chashmi and M. Chehel Amirani, "An efficient and automatic ECG arrhythmia diagnosis system using DWT and HOS features and entropy-based feature selection procedure," *Journal of Electrical Bioimpedance*, vol. 10, no. 1, pp. 47–54, 2019, doi: <https://doi.org/10.2478/joeb-2019-0007>
- [27] V. Bonnici, "A maximum value for the Kullback–Leibler divergence between quantized distributions," *Information*, vol. 15, no. 9, p. 547, 2024, doi: <https://doi.org/10.3390/info15090547>
- [28] M. A. Talukder *et al.*, "A hybrid cardiovascular arrhythmia disease detection using ConvNeXt-X models on electrocardiogram signals," *Scientific Reports*, vol. 14, p. 30366, 2024, doi: <https://doi.org/10.1038/s41598-024-81992-w>
- [29] T. M. Cover and J. A. Thomas, *Elements of Information Theory*, 2nd ed. Hoboken, NJ, USA: Wiley-Interscience, 2006, doi: <https://doi.org/10.1002/047174882X>
- [30] S. Kullback and R. A. Leibler, "On information and sufficiency," *The Annals of Mathematical Statistics*, vol. 22, no. 1, pp. 79–86, 1951, doi: <https://doi.org/10.1214/aoms/1177729694>
- [31] C. E. Shannon, "A mathematical theory of communication," *Bell System Technical Journal*, vol. 27, no. 3, pp. 379–423, 1948, doi: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>
- [32] Khalaf, A. T., et al. (2024). Enhanced KL-Divergence-Based Classification Model for ECG Arrhythmia Detection. *Sensors*, 24(3), 876. <https://doi.org/10.3390/s24030876>

- [33] S. Mallat, *A Wavelet Tour of Signal Processing: The Sparse Way*, 3rd ed. Boston, MA, USA: Academic Press, 2008, doi: <https://doi.org/10.1016/B978-0-12-374370-1.X0001-8>
- [34] Dhyan, A., Parmar, M., & Bansal, A. (2023). ECG Arrhythmia Classification using Wavelet Features and SVM. *Biomedical Signal Processing and Control*, 85, 104966. <https://doi.org/10.1016/j.bspc.2022.104966>
- [35] I. Guyon dan A. Elisseeff, “An introduction to variable and feature selection,” *Journal of Machine Learning Research*, vol. 3, pp. 1157–1182, 2003. [Online]. Available: <http://www.jmlr.org/papers/volume3/guyon03a/guyon03a.pdf>
- [36] G. Brown, A. Pocock, M. J. Zhao, dan M. Luján, “Conditional likelihood maximisation: A unifying framework for information theoretic feature selection,” *Journal of Machine Learning Research*, vol. 13, pp. 27–66, 2012. [Online]. Available: <http://jmlr.csail.mit.edu/papers/volume13/brown12a/brown12a.pdf>
- [37] V. N. Vapnik, *The Nature of Statistical Learning Theory*. New York, NY, USA: Springer-Verlag, 1995, doi: <https://doi.org/10.1007/978-1-4757-2440-0>
- [38] R. E. Bellman, *Adaptive Control Processes: A Guided Tour*. Princeton, NJ, USA: Princeton University Press, 1961. doi: <https://doi.org/10.1515/9781400874668>
- [39] A. Fisher, C. Rudin, dan F. Dominici, “All models are wrong, but many are useful: Learning a variable’s importance by studying an entire class of prediction models simultaneously,” *Journal of Machine Learning Research*, vol. 20, no. 177, pp. 1–81, 2019. [Online]. Available: <http://jmlr.org/papers/v20/18-760.html>
- [40] Liu, F., et al., “A 12-lead electrocardiogram database for arrhythmia research covering more than 10,000 patients,” *PhysioNet*, 2021. [Online]. Available: <https://doi.org/10.1038/s41597-020-0386-x>
- [41] C. R. Harris et al., “Array programming with NumPy,” *Nature*, vol. 585, no. 7825, pp. 357–362, Sep. 2020, doi: <https://doi.org/10.1038/s41586-020-2649-2>

- [42] P. Virtanen *et al.*, “SciPy 1.0: Fundamental algorithms for scientific computing in Python,” *Nature Methods*, vol. 17, no. 3, pp. 261–272, Mar. 2020, doi: <https://doi.org/10.1038/s41592-019-0686-2>
- [43] D. Barber, *Bayesian Reasoning and Machine Learning*. Cambridge, U.K.: Cambridge Univ. Press, 2018, doi: <https://doi.org/10.1017/CBO9780511804779>
- [44] S. Shalev-Shwartz and S. Ben-David, *Understanding Machine Learning: From Theory to Algorithms*. Cambridge, U.K.: Cambridge Univ. Press, 2014, doi: <https://doi.org/10.1017/CBO9781107298019>
- [45] J. Dean and S. Ghemawat, “MapReduce: Simplified data processing on large clusters,” *Communications of the ACM*, vol. 51, no. 1, pp. 107–113, Jan. 2008, doi: <https://doi.org/10.1145/1327452.1327492>