

REFERENCE

- [1] B. Graimann, B. Allison, and G. Pfurtscheller, “Brain–Computer Interfaces: A Gentle Introduction,” in *Brain-Computer Interfaces*, B. Graimann, G. Pfurtscheller, and B. Allison, Eds., in The Frontiers Collection., Berlin, Heidelberg: Springer Berlin Heidelberg, 2009, pp. 1–27. doi: 10.1007/978-3-642-02091-9_1.
- [2] Y. R. Tabar and U. Halici, “A novel deep learning approach for classification of EEG motor imagery signals,” *J. Neural Eng.*, vol. 14, no. 1, p. 016003, Feb. 2017, doi: 10.1088/1741-2560/14/1/016003.
- [3] L. F. Nicolas-Alonso and J. Gomez-Gil, “Brain Computer Interfaces, a Review,” *Sensors*, vol. 12, no. 2, pp. 1211–1279, Jan. 2012, doi: 10.3390/s120201211.
- [4] S. Chan, “EEG datasets for motor imagery brain computer interface”.
- [5] D. Gwon, K. Won, M. Song, C. S. Nam, S. C. Jun, and M. Ahn, “Review of public motor imagery and execution datasets in brain-computer interfaces,” *Front. Hum. Neurosci.*, vol. 17, p. 1134869, Mar. 2023, doi: 10.3389/fnhum.2023.1134869.
- [6] Y. Zhang, G. Zhou, J. Jin, X. Wang, and A. Cichocki, “Optimizing spatial patterns with sparse filter bands for motor-imagery based brain–computer interface,” *J. Neurosci. Methods*, vol. 255, pp. 85–91, Nov. 2015, doi: 10.1016/j.jneumeth.2015.08.004.
- [7] K. K. Ang, Z. Y. Chin, H. Zhang, and C. Guan, “Filter Bank Common Spatial Pattern (FBCSP) algorithm using online adaptive and semi-supervised learning,” in *The 2011 International Joint Conference on Neural Networks*, San Jose, CA, USA: IEEE, July 2011, pp. 392–396. doi: 10.1109/IJCNN.2011.6033248.
- [8] Y. Zhang *et al.*, “Improving EEG Decoding via Clustering-based Multi-task Feature Learning,” Dec. 12, 2020, *arXiv*: arXiv:2012.06813. Accessed: Sept. 21, 2024. [Online]. Available: <http://arxiv.org/abs/2012.06813>
- [9] D. Kaya, “The mRMR-CNN based influential support decision system approach to classify EEG signals,” *Measurement*, vol. 156, p. 107602, May 2020, doi: 10.1016/j.measurement.2020.107602.
- [10] S. Xie, Y. Zhang, D. Lv, X. Chen, J. Lu, and J. Liu, “A new improved maximal relevance and minimal redundancy method based on feature subset,” *J. Supercomput.*, vol. 79, no. 3, pp. 3157–3180, Feb. 2023, doi: 10.1007/s11227-022-04763-2.

- [11] Hanchuan Peng, Fuhui Long, and C. Ding, “Feature selection based on mutual information criteria of max-dependency, max-relevance, and min-redundancy,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 27, no. 8, pp. 1226–1238, Aug. 2005, doi: 10.1109/TPAMI.2005.159.
- [12] S. Maldonado and J. López, “Dealing with high-dimensional class-imbalanced datasets: Embedded feature selection for SVM classification,” *Appl. Soft Comput.*, vol. 67, pp. 94–105, June 2018, doi: 10.1016/j.asoc.2018.02.051.
- [13] I. Jo, S. Lee, and S. Oh, “Improved Measures of Redundancy and Relevance for mRMR Feature Selection,” *Computers*, vol. 8, no. 2, p. 42, May 2019, doi: 10.3390/computers8020042.
- [14] Y. Guo, Y. Zhang, Z. Chen, Y. Liu, and W. Chen, “EEG classification by filter band component regularized common spatial pattern for motor imagery,” *Biomed. Signal Process. Control*, vol. 59, p. 101917, May 2020, doi: 10.1016/j.bspc.2020.101917.
- [15] M. Y. Hossain and A. B. M. S. U. Doulah, “Detection of Motor Imagery (MI) Event in Electroencephalogram (EEG) Signals using Artificial Intelligence Technique,” in *2020 IEEE East-West Design & Test Symposium (EWDTS)*, Varna, Bulgaria: IEEE, Sept. 2020, pp. 1–6. doi: 10.1109/EWDTS50664.2020.9224634.
- [16] A. Chaddad, Y. Wu, R. Kateb, and A. Bouridane, “Electroencephalography Signal Processing: A Comprehensive Review and Analysis of Methods and Techniques,” *Sensors*, vol. 23, no. 14, p. 6434, July 2023, doi: 10.3390/s23146434.
- [17] Md. K. Islam and A. Rastegarnia, “Editorial: Recent advances in EEG (non-invasive) based BCI applications,” *Front. Comput. Neurosci.*, vol. 17, p. 1151852, Mar. 2023, doi: 10.3389/fncom.2023.1151852.
- [18] A. Singh, S. Lal, and H. W. Guesgen, “Architectural Review of Co-Adaptive Brain Computer Interface,” in *2017 4th Asia-Pacific World Congress on Computer Science and Engineering (APWC on CSE)*, Nadi: IEEE, Dec. 2017, pp. 200–207. doi: 10.1109/APWConCSE.2017.00044.
- [19] A. Singh, A. A. Hussain, S. Lal, and H. W. Guesgen, “A Comprehensive Review on Critical Issues and Possible Solutions of Motor Imagery Based Electroencephalography Brain-Computer Interface,” *Sensors*, vol. 21, no. 6, p. 2173, Mar. 2021, doi: 10.3390/s21062173.
- [20] B. Li, B. Yang, C. Guan, and C. Hu, “Three-class Motor Imagery Classification Based on FBCSP Combined with Voting Mechanism,” in *2019 IEEE International Conference on Computational Intelligence and Virtual Environments for*

- Measurement Systems and Applications (CIVEMSA)*, Tianjin, China: IEEE, June 2019, pp. 1–4. doi: 10.1109/CIVEMSA45640.2019.9071618.
- [21] Md. H. Kabir, S. Mahmood, A. Al Shiam, A. S. Musa Miah, J. Shin, and Md. K. I. Molla, “Investigating Feature Selection Techniques to Enhance the Performance of EEG-Based Motor Imagery Tasks Classification,” *Mathematics*, vol. 11, no. 8, p. 1921, Apr. 2023, doi: 10.3390/math11081921.
- [22] S. Ramírez-Gallego *et al.*, “Fast-mRMR: Fast Minimum Redundancy Maximum Relevance Algorithm for High-Dimensional Big Data: FAST-mRMR ALGORITHM FOR BIG DATA,” *Int. J. Intell. Syst.*, vol. 32, no. 2, pp. 134–152, Feb. 2017, doi: 10.1002/int.21833.
- [23] D. A. Pisner and D. M. Schnyer, “Support vector machine,” in *Machine Learning*, Elsevier, 2020, pp. 101–121. doi: 10.1016/B978-0-12-815739-8.00006-7.
- [24] H. Jia, S. Wang, D. Zheng, X. Qu, and S. Fan, “Comparative study of motor imagery classification based on BP-NN and SVM,” *J. Eng.*, vol. 2019, no. 23, pp. 8646–8649, Dec. 2019, doi: 10.1049/joe.2018.9075.
- [25] M. Koch, V. Geraedts, H. Wang, M. Tannemaat, and T. Back, “Automated Machine Learning for EEG-Based Classification of Parkinson’s Disease Patients,” in *2019 IEEE International Conference on Big Data (Big Data)*, Los Angeles, CA, USA: IEEE, Dec. 2019, pp. 4845–4852. doi: 10.1109/BigData47090.2019.9006599.
- [26] S. Subekti, R. Widadi, and D. Zulherman, “EEG Signal Classification of Motor Imagery Right and Left Hand using Common Spatial Pattern and Multilayer Perceptron Back Propagation,” *J. Sisfokom Sist. Inf. Dan Komput.*, vol. 11, no. 2, pp. 251–256, Aug. 2022, doi: 10.32736/sisfokom.v11i2.1404.
- [27] M. Li, H. Xi, and X. Zhu, “An Incremental Version of L-MVU for the Feature Extraction of MI-EEG,” *Comput. Intell. Neurosci.*, vol. 2019, pp. 1–19, May 2019, doi: 10.1155/2019/4317078.