

REFERENCE

- [1] Klaus. Finkenzeller and D. Müller, *RFID handbook : fundamentals and applications in contactless smart cards, radio frequency identification and near-field communication*. Wiley, 2012.
- [2] C. Pan and M. Liu, "Optimization of intelligent logistics supply chain management system based on wireless sensor network and RFID technology," *J Sens*, vol. 2021, 2021, doi: 10.1155/2021/8111909.
- [3] F. Li, G. Jia, and C. Liu, "Design of RFID Data Acquisition System for Manufacturing Execution Systems," in *ACM International Conference Proceeding Series*, Association for Computing Machinery, Sep. 2023, pp. 171–176. doi: 10.1145/3617184.3630126.
- [4] S. L. Peng, C. J. Liu, J. He, H. N. Yu, and F. Li, "Optimization RFID-enabled Retail Store Management with Complex Event Processing," *International Journal of Automation and Computing*, vol. 16, no. 1, pp. 52–64, Feb. 2019, doi: 10.1007/s11633-018-1164-5.
- [5] Milan Polivka, Milan Svanda, and Premysl Hudec, "The Optimization of the RFID System for the Identification of Sportsmen in Mass Races," IEEE, 2007.
- [6] Jan Kolaja and Jana Kolaja Ehlerova, "Effectivity of Sports Timing RFID System, Field Study," [IEEE], 2019.
- [7] R. H. Dabhade, "RFID Based Marathon Tracking System," *Int J Res Appl Sci Eng Technol*, vol. 9, no. 10, pp. 1207–1212, Oct. 2021, doi: 10.22214/ijraset.2021.38606.
- [8] M.-H. Paek, C.-S. Leem, and D.-J. Bae, "Multiple Reader Algorithm for Sports Timing Systems and Its Application at Low Frequency Bandwidth," Dec. 2013.
- [9] W.-F. Tsai, R. J. Burkholder, and F. L. Teixeira, "A LOW COST RFID TRACKING AND TIMING SYSTEM FOR BIKE RACES."
- [10] A. Abdulkareem, C. O. A. Awosope, and A. E. Tope-Ojo, "Development and implementation of a miniature RFID system in a shopping mall environment," *International Journal of Electrical and Computer Engineering*, vol. 9, no. 2, pp. 1374–1378, Apr. 2019, doi: 10.11591/ijece.v9i2.pp1374-1378.
- [11] Chatchai Chokchai, "Low Cost and High Performance UHF RFID System using Arduino Based on IoT Applications for Marathon Competition," in *The 21st International Symposium on Wireless Personal Multimedia Communications (WPMC-2018)*, [IEEE], 2018.
- [12] H. Qin, W. Chen, W. Chen, N. Li, M. Zeng, and Y. Peng, "A collision-aware mobile tag reading algorithm for RFID-based vehicle localization," *Computer Networks*, vol. 199, Nov. 2021, doi: 10.1016/j.comnet.2021.108422.

- [13] B. Zhi, W. Sainan, and H. Yigang, "A novel anti-collision algorithm in RFID for internet of things," *IEEE Access*, vol. 6, pp. 45860–45874, Aug. 2018, doi: 10.1109/ACCESS.2018.2863565.
- [14] Siti Salwani Binti Yaacob *et al.*, "An Efficient Approach for Uncertain Event Detection in RFID Complex Event Processing," *INTERNATIONAL JOURNAL ON INFORMATICS VISUALIZATION*, vol. 5, Dec. 2021, [Online]. Available: www.joiv.org/index.php/joiv
- [15] Y. Wang and J. Qian, "Measuring the uncertainty of RFID data based on particle filter and particle swarm optimization," *Wireless Networks*, vol. 18, no. 3, pp. 307–318, Apr. 2012, doi: 10.1007/s11276-011-0401-4.
- [16] R. Haider, F. Mandreoli, and R. Martoglia, "Online Filtering and Uncertainty Management Techniques for RFID Data Processing."
- [17] S. Wang, Z. Cao, Y. Zhang, W. Huang, and J. Jiang, "A Temporal and Spatial Data Redundancy Processing Algorithm for RFID Surveillance Data," *Wirel Commun Mob Comput*, vol. 2020, pp. 1–12, Feb. 2020, doi: 10.1155/2020/6937912.
- [18] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge Computing: Vision and Challenges," *IEEE Internet Things J*, vol. 3, no. 5, pp. 637–646, Oct. 2016, doi: 10.1109/JIOT.2016.2579198.
- [19] C. Li, K. Jiang, X. Li, L. Zhang, and Y. Luo, "Single-tag and multi-tag RFID data cleaning approach in edge computing," *Cluster Comput*, vol. 27, no. 1, pp. 177–197, Feb. 2024, doi: 10.1007/s10586-022-03857-z.
- [20] H. Kamaludin, H. Mahdin, and J. H. Abawajy, "Filtering Redundant Data from RFID Data Streams," *J Sens*, vol. 2016, pp. 1–7, Jan. 2016, doi: 10.1155/2016/7107914.
- [21] W. Rui, L. Guoqiong, and D. Guoqiang, "Filtering Redundant RFID Data Based on Sliding Windows," *Proceedings - 2014 International Conference on Management of e-Commerce and e-Government, ICMecG 2014*, pp. 187–191, Oct. 2014, doi: 10.1109/ICMECG.2014.46.
- [22] S. Dihua, L. Weining, Z. Min, Z. Lianjianhg, and W. Dongfang, "RFID redundant data cleansing method and system based on DTBF," Sep. 14, 2016. Accessed: Jun. 15, 2025. [Online]. Available: <https://scispace.com/papers/rfid-redundant-data-cleansing-method-and-system-based-on-2kl70pzti>
- [23] Z. Cao, D. Sun, S. Wang, Y. Zhang, Y. Feng, and S. Jiang, "R-TDBF: An Environmental Adaptive Method for RFID Redundant Data Filtering," *Lecture Notes in Computer Science*, vol. 13472 LNCS, pp. 582–594, Jan. 2022, doi: 10.1007/978-3-031-19214-2_49.
- [24] L. Dash, S. Sen Sarma, K. Sinha, and B. P. Sinha, "A Novel Spatio-Temporal Data Redundancy Elimination Approach for RFID Systems with Multiple Readers,"

- International journal of wireless and mobile networks*, vol. 14, no. 2, pp. 17–31, Apr. 2022, doi: 10.5121/IJWMN.2022.14202.
- [25] Y. YANG, W. DU, and J. GUO, “Detection and an Analysis of Redundant RFID Traffic Data,” Mar. 2016, doi: 10.3963/J.ISSN1674-4861.2016.03.010.
 - [26] H. Xu, J. Ding, P. Li, D. Sgandurra, and R. Wang, “An improved SMURF scheme for cleaning RFID data,” 2018.
 - [27] T. HE, C. LIU, H. XU, and K. ZHOU, “An Efficient Middleware-based Algorithm for Redundant Reader in RFID System,” Jun. 2017, doi: 10.3969/J.ISSN.1673-629X.2017.06.006.
 - [28] M. Ma, P. Wang, and C. H. Chu, “Redundant Reader Elimination in Large-Scale Distributed RFID Networks,” *IEEE Internet Things J*, vol. 5, no. 2, pp. 884–894, Feb. 2018, doi: 10.1109/JIOT.2018.2805710.
 - [29] M. Ouadou, H. Sahbani, O. Zytoune, and M. Ouadou, “A Data-Filtering Approach for Large-Scale Integrated RFID and Sensor Networks,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Springer Verlag, 2019, pp. 69–81. doi: 10.1007/978-3-030-22885-9_7.
 - [30] S. S. Yaacob and H. Mahdin, “AN OVERVIEW ON VARIOUS RFID DATA FILTERING TECHNIQUES BASED ON BLOOM FILTER APPROACH,” vol. 11, no. 24, 2016, [Online]. Available: www.arpnjournals.com
 - [31] H. Mahdin, M. Farhan, M. Fudzee, A. A. Ramli, M. A. Salamat, and S. Kasim, “An efficient approach to processing massive RFID data in supply chain,” *Applied Mechanics and Materials*, vol. 773–774, pp. 823–827, Jul. 2015, doi: 10.4028/WWW.SCIENTIFIC.NET/AMM.773-774.823.
 - [32] X. Zhang and M. Deng, “An overview on data deduplication techniques,” *Advances in Intelligent Systems and Computing*, vol. 455, pp. 359–369, Jan. 2017, doi: 10.1007/978-3-319-38771-0_35/FULLTEXT.HTML.
 - [33] Prachi Ujjwal Deore, Shekhar Mangesh Satpute, and Atharv Vinod Dalvi, “Data Deduplication Techniques for Efficient Storage Management,” *International Journal For Multidisciplinary Research*, vol. 6, no. 6, Dec. 2024, doi: 10.36948/IJFMR.2024.V06I06.32073.
 - [34] S. T. Ahmed and L. E. George, “Lightweight hash-based de-duplication system using the self detection of most repeated patterns as chunks divisors,” *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 7, pp. 4669–4678, Jul. 2022, doi: 10.1016/j.jksuci.2021.04.005.
 - [35] M. Hassan, A. Sateesan, J. Vliegen, S. Picsek, and N. Mentens, “A Genetic Programming approach for hardware-oriented hash functions for network security

- applications,” *Appl Soft Comput*, vol. 165, p. 112078, Nov. 2024, doi: 10.1016/J.ASOC.2024.112078.
- [36] B. Glover and H. Bhatt, *Praise for RFID Essentials*, First Edition. O'REILLY, 2006.
 - [37] RFID4U, “RFID Basics & Resources.”
 - [38] *UHF RFID Reader UHFReader18 User's Manual V2.0 Content*.
 - [39] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, “Edge Computing: Vision and Challenges,” *IEEE Internet Things J*, vol. 3, no. 5, pp. 637–646, Oct. 2016, doi: 10.1109/JIOT.2016.2579198.
 - [40] K. Mannanuddin, M. Ranjith Kumar, S. Aluvala, Y. Nagender, and S. Vishali, “Fundamental Perception of EDGE Computing,” in *IOP Conference Series: Materials Science and Engineering*, IOP Publishing Ltd, 2020. doi: 10.1088/1757-899X/981/2/022035.
 - [41] J. Wang, “Research Status and Prospect of Embedded System,” 2023.
 - [42] Espressif System, *ESP32 Series Datasheet Version 4.7 2.4 GHz Wi-Fi + Bluetooth ® + Bluetooth LE SoC Including*. 2024. [Online]. Available: www.espressif.com
 - [43] A. E. Jacob, N. Ashodariya, and A. Dhongade, “Hybrid Search Algorithm Combined Linear and Binary Search Algorithm,” in *ICECDS : 2017 International Conference on Energy, Communication, Data Analytics and Soft Computing*, Chennai: Institute of Electrical and Electronics Engineers, 2018, p. 1055.
 - [44] S. Chethana, S. S. Charan, V. Srihitha, D. Radha, and C. R. Kavitha, “Comparative Analysis of Password Storage Security using Double Secure Hash Algorithm,” in *2022 IEEE North Karnataka Subsection Flagship International Conference, NKCon 2022*, Institute of Electrical and Electronics Engineers Inc., 2022. doi: 10.1109/NKCon56289.2022.10127057.
 - [45] M. M. Khaing and N. Jeyanthi, “DaDe: A Study of Chunking Algorithm and Hashing Function in Block Level Chunk based Data Deduplication,” in *2022 IEEE 3rd Global Conference for Advancement in Technology, GCAT 2022*, Institute of Electrical and Electronics Engineers Inc., 2022. doi: 10.1109/GCAT55367.2022.9972150.
 - [46] J. Tchórzewski and A. Jakóbiak, “Theoretical and Experimental Analysis of Cryptographic Hash Functions,” *Journal of telecommunications and information technology*, vol. 1, no. 1, pp. 125–133, Apr. 2019, doi: 10.26636/JTIT.2019.128018.
 - [47] V. Akoto-Adjepong, M. Asante, and S. Okyere-Gyamfi, “An Enhanced Non-Cryptographic Hash Function,” *Int J Comput Appl*, vol. 176, no. 15, pp. 10–17, Apr. 2020, doi: 10.5120/IJCA2020920014.
 - [48] A. Tahir and Y. Usman, “Performance Analysis of Non-cryptographic Hash Functions for Real-Time Storage and Lookup of URLs,” pp. 72–77, Dec. 2013, doi: 10.1109/FIT.2013.21.

- [49] S. Tapia-Fernández, D. García-García, and P. García-Hernandez, “Key Concepts, Weakness and Benchmark on Hash Table Data Structures,” *Algorithms 2022, Vol. 15, Page 100*, vol. 15, no. 3, p. 100, Mar. 2022, doi: 10.3390/A15030100.
- [50] C. Hayes and D. Malone, “An Evaluation of FNV Non-Cryptographic Hash Functions,” in *Proceedings of the 35th Irish Systems and Signals Conference, ISSC 2024*, Institute of Electrical and Electronics Engineers Inc., 2024. doi: 10.1109/ISSC61953.2024.10603139.
- [51] G. Fowler, L. Noll, K. Vo, D. Eastlake, and T. Hansen, “The FNV Non-Cryptographic Hash Algorithm.” Accessed: Jun. 07, 2025. [Online]. Available: <https://www.ietf.org/archive/id/draft-eastlake-fnv-21.html>
- [52] Aappleby, “smhasher/src/MurmurHash3.cpp at master · aappleby/smhasher · GitHub.” Accessed: Jun. 07, 2025. [Online]. Available: <https://github.com/aappleby/smhasher/blob/master/src/MurmurHash3.cpp>
- [53] Yann Collet, “xxHash - Extremely fast non-cryptographic hash algorithm.” Accessed: Jun. 07, 2025. [Online]. Available: <https://xxhash.com/>
- [54] R. D. G. Pacífico *et al.*, “BloomTime: space-efficient stateful tracking of time-dependent network performance metrics,” *Telecommun Syst*, vol. 74, no. 2, pp. 201–223, Jun. 2020, doi: 10.1007/s11235-020-00653-1.
- [55] F. Ezzaki, N. Abghour, A. Elomri, K. Moussaid, and M. Rida, “Bloom filter and its variants for the optimization of MapReduce’s algorithms: A review,” in *Proceedings of 2020 5th International Conference on Cloud Computing and Artificial Intelligence: Technologies and Applications, CloudTech 2020*, Institute of Electrical and Electronics Engineers Inc., Nov. 2020. doi: 10.1109/CloudTech49835.2020.9365876.
- [56] I. Fuat and M. Can, *Wireless Sensor Networks*. John Wiley and Sons, 2010.