

DAFTAR PUSTAKA

- [1] C. Habib, M. Surudin, Y. Widiastiwi, and N. Chamidah, “Penerapan Algoritma K-Nearest Neighbor Pada Klasifikasi Kesegaran Citra Ayam Broiler Berdasarkan Warna Daging Dada Ayam,” *Senamika*, pp. 799–809, 2020.
- [2] L. Nabila, E. Suffa, U. Lestari, and E. Susanti, “Identifikasi Citra Daging Ayam Berformalin Menggunakan Metode Grey Level Co-Occurrence Matrix (Glcm) Dan K-Nearest Neighbor (Knn),” *J. Scr.*, vol. 9, no. 2, pp. 133–141, 2021.
- [3] F. Utaminingrum and E. Setiawan, “Sistem Klasifikasi Kualitas Daging Ayam menggunakan Metode K-Nearest Neighbors berbasis Arduino,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. vol 4 no 5, no. 5, pp. 1455–1461, 2020.
- [4] M. Adib Fauzi Rahmana and D. Syauqy, “Sistem Deteksi Lama Waktu Penyimpanan Daging Ayam Berdasarkan Warna Dan Kadar Amonia Berbasis Sensor TCS3200 dan MQ135 Dengan Metode Jaringan Syaraf Tiruan,” vol. 3, no. 2, pp. 2548–964, 2019, [Online]. Available: <http://j-ptiik.ub.ac.id>
- [5] I. Purwanto, M. Afriansyah, and K. Kusri, “Deteksi Tingkat Kesegaran Daging Ayam Menggunakan K-Nearest Neighbor,” *CCIT J.*, vol. 12, no. 2, pp. 177–185, 2019, doi: 10.33050/ccit.v12i2.688.
- [6] N. Lihayati, R. E. Pawening, and M. Furqan, “Klasifikasi Jenis Daging Berdasarkan Tekstur Menggunakan Metode Gray Level Coocurent Matrix,” *Pros. SENTIA*, vol. 8, no. 1994, pp. 305–310, 2016.
- [7] N. C. A. Cahyo, I. M. I. Subroto, and M. Taufik, “Identifikasi Daging Ayam Segar Dengan Algoritma Jaringan Syaraf Tiruan Berbasis Hue Saturation Value (HSV),” *J. Transistor Elektron dan Inform. (TRANSISTOR EL)*, vol. 4, no. 2, pp. 91–98, 2022.
- [8] I. Gede Pasek Suta Wijaya and F. Bimantoro, “KLASIFIKASI KAIN SONGKET LOMBOK BERDASARKAN FITUR GLCM DAN MOMENT

INVARIANT DENGAN TEKNIK PENGKLASIFIKASIAN LINEAR DISCRIMINANT ANALYSIS (LDA) (Classification of Lombok Songket Using GLCM and Invariant Moment Features and Linear Discriminant Analysis (LDA,” *J. Teknol. Informasi, Komputer, dan Apl.*, vol. 2, no. 2, pp. 173–183, 2020, [Online]. Available: <http://jtika.if.unram.ac.id/index.php/JTIKA/>

- [9] M. Faisal Rifiarrasyid, D. Arif Setyawan, and H. Maulana, “Klasifikasi Kesegaran Daging Sapi Menggunakan Metode Gray Level Cooccurrence Matrix dan DNN,” *J. Ilm. Teknol. Inf. dan Robot.*, vol. 3, no. 2, pp. 34–38, 2021, doi: <http://doi.org/10.33005/jifti.v3i2.65>.
- [10] E. V. Maryanti, D. Haryono, and T. Endaryanto, “Broiler Chicken Livestock Business Development Strategy in South Lampung Regency,” *J. Ilm. Peternak. Terpadu*, vol. 11, no. 3, p. 159, 2023, doi: [10.23960/jipt.v11i3.p159-175](https://doi.org/10.23960/jipt.v11i3.p159-175).
- [11] A. Alamsyah, E. Basuki, A. Prarudiyanto, and S. Cicilia, “Diversifikasi Produk Olahan Daging Ayam,” *J. Ilm. Abdi Mas TPB Unram*, vol. 1, no. 1, 2019, doi: [10.29303/amtpb.v1i1.12](https://doi.org/10.29303/amtpb.v1i1.12).
- [12] A. Muharram, A. Irma Purnamasari, and I. Ali, “Prediksi Jumlah Produksi Daging Unggas Tahun 2023-2027 Menggunakan Regresi Linier,” *JATI (Jurnal Mhs. Tek. Inform.)*, vol. 7, no. 6, pp. 3093–3099, 2024, doi: [10.36040/jati.v7i6.8185](https://doi.org/10.36040/jati.v7i6.8185).
- [13] M. Afrianti, B. Dwiloka, and B. E. Setiani, “Perubahan warna, profil protein dan mutu organoleptik daging ayam boiler setelah direndam dengan ekstrak daun senduduk,” *J. Apl. Teknol. Pangan*, vol. 2, no. 3, pp. 116–120, 2013.
- [14] S. Maris, “4 Cara Memilih Ayam Segar, Pastikan Kamu Tahu Sebelum Membeli!,” 2020. <https://www.liputan6.com/health/read/> (accessed Nov. 11, 2024).
- [15] L. Wiranda and M. Sadikin, “Penerapan Long Short Term Memory Pada Data Time Series Untuk Memprediksi Penjualan Produk Pt. Metiska Farma,” *J. Nas. Pendidik. Tek. Inform.*, vol. 8, no. 3, pp. 184–196, 2019.
- [16] E. Golafshani, A. A. Chiniforush, P. Zandifaez, and T. Ngo, “An artificial intelligence framework for predicting operational energy consumption in

- office buildings,” *Energy Build.*, vol. 317, no. January, p. 114409, 2024, doi: <http://doi.org/10.1016/j.enbuild.2024.114409>.
- [17] A. Pulver and S. Lyu, “LSTM with working memory,” in *Proceedings of the International Joint Conference on Neural Networks*, 2017, pp. 845–851. doi: 10.1109/IJCNN.2017.7965940.
- [18] R. G. Khalkar, A. S. Dikhit, and A. Goel, “Handwritten Text Recognition using Deep Learning (CNN & RNN),” *Iarjset*, vol. 8, no. 6, pp. 870–881, 2021, doi: 10.17148/iarjset.2021.86148.
- [19] D. Koblah *et al.*, “A Survey and Perspective on Artificial Intelligence for Security-Aware Electronic Design Automation,” *ACM Trans. Des. Autom. Electron. Syst.*, vol. 28, no. 2, pp. 1–55, 2023, doi: <http://doi.org/10.1145/3563391>.
- [20] P. R. Sihombing and A. M. Arsani, “Comparison of Machine Learning Methods in Classifying Poverty in Indonesia in 2018 Perbandingan Metode Machine Learning Dalam Klasifikasi Kemiskinan Di Indonesia Tahun 2018,” *J. Tek. Inform.*, vol. 2, no. 1, pp. 51–56, 2021.
- [21] T. C. A.-S. Zulkhaidi, E. Maria, and Y. Yulianto, “Pengenalan Pola Bentuk Wajah dengan OpenCV,” *J. Rekayasa Teknol. Inf.*, vol. 3, no. 2, p. 181, 2020, doi: 10.30872/jurti.v3i2.4033.
- [22] S. Shah and J. Tembhurne, “Object detection using convolutional neural networks and transformer-based models: a review,” *J. Electr. Syst. Inf. Technol.*, vol. 10, no. 1, 2023, doi: <http://doi.org/10.1186/s43067-023-00123-z>.
- [23] Google, “Kaggle,” 2024. <https://www.kaggle.com/> (accessed Nov. 11, 2024).
- [24] R. H. Sianipar, *Dasar Pemrosesan Citra Digital Dengan MATLAB*. Penerbit Andi, 2018.
- [25] Kornit, “What is Pixel,” 2021. <https://www.kornit.com/glossary/pixel-definition/> (accessed Nov. 11, 2024).
- [26] R. I. Alhaqq and A. Harjoko, “Pengolahan Citra Digital untuk Keyboard Virtual Sebagai Antarmuka pada Aplikasi Berbasis Web,” *IJEIS (Indonesian J. Electron. Instrum. Syst.*, vol. 5, no. 2, p. 111, 2015, doi:

- 10.22146/ijeis.7634.
- [27] S. Ratna, “Pengolahan Citra Digital Dan Histogram Dengan Phyton Dan Text Editor Phycharm,” *Technol. J. Ilm.*, vol. 11, no. 3, p. 181, 2020, doi: 10.31602/tji.v11i3.3294.
 - [28] B. T. Utomo, I. Fitri, and E. Mardiani, “Penerapan Face Recognition pada Aplikasi Akademik Online,” *J. JTIK (Jurnal Teknol. Inf. dan Komunikasi)*, vol. 5, no. 4, p. 420, 2021, doi: 10.35870/jtik.v5i4.244.
 - [29] N. Nafi’iyah, “Algoritma Kohonen dalam Mengubah Citra Graylevel Menjadi Citra Biner,” *J. Ilm. Teknol. Inf. Asia*, vol. 9, no. 2, pp. 49–55, 2015.
 - [30] R. Rahmadini, Enjel Erika LorencisLubis, Aji Priansyah, Yolanda R.W.N, and Tuti Meutia, “Penerapan Data Mining Untuk Memprediksi Harga Bahan Pangan Di Indonesia Menggunakan Algoritma K-Nearest Neighbor,” *J. Mhs. Akunt. Samudra*, vol. 4, no. 4, pp. 223–235, 2023, doi: 10.33059/jmas.v4i4.7074.
 - [31] A. M. Argina, “Penerapan Metode Klasifikasi K-Nearest Neigbor pada Dataset Penderita Penyakit Diabetes,” *Indones. J. Data Sci.*, vol. 1, no. 2, pp. 29–33, 2020, doi: 10.33096/ijodas.v1i2.11.
 - [32] V. A. Nugroho, D. P. Adi, A. T. Wibowo, M. T. Sulistyono, and A. B. Gumelar, “Klasifikasi Jenis Pemeliharaan dan Perawatan Container Crane menggunakan Algoritma Machine Learning,” *Matics*, vol. 13, no. 1, pp. 21–27, 2021, doi: 10.18860/mat.v13i1.11525.
 - [33] A. B. Nugraha and A. Romadhony, “Identification of 10 Regional Indonesian Languages Using Machine Learning,” *Sinkron*, vol. 8, no. 4, pp. 2203–2214, 2023, doi: 10.33395/sinkron.v8i4.12989.
 - [34] J. M. Akbar, M. Sabirin, G. S. Nugraha, and N. Alamsyah, “Penerapan Metode Principal Component Analysis (Pca) Dan K-Nearest Neighbors (Knn) Untuk Klasifikasi Data Kanker Paru-Paru,” *J. Teknol. Informasi, Komput. dan Apl.*, vol. 4, no. 2, pp. 144–151, 2022, [Online]. Available: <http://jtika.if.unram.ac.id/index.php/JTIKA/>
 - [35] S. Manullang, D. Aryani, and H. Rusydah, “Analisis Principal Component Analysis (PCA) dalam Penentuan Faktor Kepuasan Pengunjung terhadap Layanan Perpustakaan Digilib,” *Edumatic J. Pendidik. Inform.*, vol. 7, no. 1,

pp. 123–130, 2023, doi: 10.29408/edumatic.v7i1.14839.

- [36] S. Sanjaya, “Optimalisasi Convolutional Neural Network Menggunakan Augmentasi dan Hyperparameter untuk Klasifikasi Daging Sapi dan Daging Babi Optimization of Convolutional Neural Network using Augmentation and Hyperparameters for Beef and Pork Classification,” vol. 12, no. 4, pp. 623–629, 2024, doi: 10.26418/justin.v12i4.80337.