

DAFTAR PUSTAKA

- [1] Y. Ullah, M. B. Roslee, S. M. Mitani, S. A. Khan, and M. H. Jusoh, "A survey on handover and mobility management in 5G HETNets: current state, challenges, and future directions," *IEEE*, 2023. doi: 10.3390/s23115081.
- [2] W. Dghais 1 *et al.*, *Dynamic Clustering for Power Effective Small Cell Deployment in HetNet 5G Networks*. *IEEE*, 2020. doi: 10.1109/ICC40277.2020.9149059.
- [3] Jiang, D., & Liu, G. (2016). An overview of 5G requirements. *5G Mobile Communications*, 3-26.
- [4] A. Abrol, R. K. Jha, School of Electronics and Communication Engineering, Shri Mata Vaishno Devi University, Jammu and Kashmir 182320, India, and R. K. Jha, "Power Optimization in 5G networks: A step towards GREEN communication," *IEEE*, vol. 4, pp. 1355-, Apr. 2016, doi: 10.1109/ACCESS.2016.2549641.
- [5] P. K. Taksande, P. Chaporkar, P. Jha, and A. Karandikar, "Proportional Fairness through Dual Connectivity in Heterogeneous Networks," *IEEE Wireless Communications and Networking Conference, WCNC*, vol. 2020-May, May 2020, doi: 10.1109/WCNC45663.2020.9120604.
- [6] R. Amin, J. Martin, J. Deaton, L. A. Dasilva, A. Hussien, and A. Eltawil, "Balancing Spectral Efficiency, Energy Consumption, and Fairness in Future Heterogeneous Wireless Systems with Reconfigurable Devices" *IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS*, vol. 31, no. 5, pp. 969–980, May 2013, doi: 10.1109/JSAC.2013.130515.
- [7] Y. L. Lee, J. Loo, and T. C. Chuah, "Modeling and performance evaluation of resource allocation for LTE femtocell networks," *Modeling and Simulation of Computer Networks and Systems: Methodologies and Applications*, pp. 683–716, Jan. 2015, doi: 10.1016/B978-0-12-800887-4.00024-9.
- [8] S. I. Orakwue and H. M. R. Al-Khafaji, "Analysis of different path loss propagation models based on 4G Walk test data," *DOAJ (DOAJ: Directory of Open Access Journals)*, May 2022, doi: 10.22059/jitm.2022.87262.

- [9] Q. Zhu *et al.*, “3GPP TR 38.901 Channel Model,” in *ResearchGate*, 2021. doi: 10.1002/9781119471509.w5gref048.
- [10] Lalpurwala, H., & Dastoor, S. (2019, April). Performance Analysis of Cooperative Communication in HetNet using eICIC Technique. In *2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI)* (pp. 953-959). IEEE.
- [11] Ghosh, J., Vargas-Rosales, C., Mendes, L. L., Ra, I. H., Vo, V. N., Aimtongkham, P., & So-In, C. (2023). A novel transceiver and an asynchronous mode for the hybrid multiple-access HetNet architecture. *IEEE Access*, *11*, 135609-135625.
- [12] P. Mach, Z. Becvar, T. Vanek, and Czech Technical University in Prague, “In-Band Device-to-Device Communication in OFDMA Cellular Networks: A survey and challenges,” *IEEE Communications Surveys & Tutorials*, pp. 1885–1886.
- [13] A. S. Marcano and H. L. Christiansen, “Impact of NOMA on network capacity dimensioning for 5G HetNets,” *IEEE Access*, 2018, doi: 10.1109/ACCESS.2018.2799959.
- [14] Behrouz, “Data Communications and networking,” *Google Books*, https://books.google.co.id/books?hl=en&lr=&id=bwUNZvJbEeQC&oi=fnd&pg=PR3&dq=B.+A.+Forouzan,+Data+communications+and+networking.+Huga+Media,+2007.&ots=qvmZJaPrqH&sig=ouQUY9ooxOuwHIZd28O-9DGsbrY&redir_esc=y#v=onepage&q&f=false (accessed Jun. 17, 2025).
- [15] Kahyangan, F., Fakhrudin, M. H., Furqan, R. A., Meylani, L., & Prabowo, V. S. W. (2024). Resource Block Allocation: Performance Comparison of *AAuction*, Greedy, and Round Robin Algorithms. *[CEPAT] Journal of Computer Engineering: Progress, Application and Technology*, *3*(02).
- [16] Iqbal, J., Iqbal, M. A., Ahmad, A., Khan, M., Qamar, A., & Han, K. (2019). Comparison of *spectral efficiency* techniques in device-to-device communication for 5G. *IEEE Access*, *7*, 57440-57449.
- [17] F. Fang, G. Ye, H. Zhang, J. Cheng, and V. C. M. Leung, “Energy-Efficient joint *user* association and power allocation in a heterogeneous network,” *IEEE Transactions on*

- Wireless Communications*, vol. 19, no. 11, pp. 7008–7020, Jun. 2020, doi: 10.1109/twc.2020.2996628.
- [18] F. Boabang, H.-H. Nguyen, Q.-V. Pham, and W.-J. Hwang, “Network-Assisted Distributed Fairness-Aware interference coordination for Device-to-Device communication underlaid cellular networks,” *Mobile Information Systems*, vol. 2017, pp. 1–11, Jan. 2017, doi: 10.1155/2017/1821084.
 - [19] M. Alruwaili, J. Kim, and J. Oluoch, “Optimizing 5G power allocation with Device-to-Device Communication: A Gale-Shapley Algorithm approach,” *IEEE Access*, vol. 12, pp. 30781–30795, Jan. 2024, doi: 10.1109/access.2024.3369597.
 - [20] M. A. El-Ghorab, M. R. El-Meligy, M. M. Ibrahim, and F. Newagy, “Energy-Efficient user pairing for Downlink NOMA in massive MIMO networks,” *Applied Sciences*, vol. 12, no. 11, p. 5421, May 2022, doi: 10.3390/app12115421.
 - [21] O. Abuajwa, C. K. Tan, Y. H. Ng, and C. K. Lee, “ACO-Based power allocation for throughput maximization in the downlink 5G NOMA systems,” *International Journal of Engineering Research and Technology*, vol. 13, no. 11, p. 3072, Nov. 2020, doi: 10.37624/ijert/13.11.2020.3072-3079.
 - [22] Wei Li, Ken Long, Mingjun Jiang, and Jiangli Lu, “Non-Cooperative Game-Based Power Allocation for Energy-Efficient NOMA Heterogeneous Network,” Mar. 2020. doi: 10.1109/ACCESS.2020.2980191.
 - [23] K. S. Ali, H. ElSawy, A. Chaaban, and M.-S. Alouini, “Non-Orthogonal Multiple Access for Large-Scale 5G Networks: Interference Aware Design,” *IEEE Access*, vol. 5, pp. 21204–21216, 2017, doi: 10.1109/ACCESS.2017.2753380.
 - [24] Amraoui, A., Benmammar, B., Krief, F., & Bendimerad, F. T. (2012, October). *Auction-based agent negotiation in cognitive radio ad hoc networks*. In *International Conference on Ad Hoc Networks* (pp. 119-134). Berlin, Heidelberg: Springer Berlin Heidelberg.
 - [25] Gopalam, S., Hanly, S. V., & Whiting, P. (2017, June). Greedy Scheme for Optimal Resource Allocation in HetNets with Wireless Backhaul. In *2017 IEEE 85th Vehicular Technology Conference (VTC Spring)* (pp. 1-5). IEEE.